

TAM

Model N°	Opis	VPC/kn	MPC/Kn
A/107 Bk AM	"Clamp-on" US thread fixed length mic boom-BLK	173,32	211,45
A/107 Bk EU	"Clamp-on" US thread fixed length mic boom-BLK	173,32	211,45
A/107 CH AM	"Clamp-on" US thread fixed length mic boom-CHR	173,36	211,50
A/107 CH EU	"Clamp-on" UE thread fixed length mic boom-CHR	173,32	211,45
A/113 Bk AM	"Add-on" US thread fixed length mic boom-BLK	140,34	171,21
A/113 Bk EU	"Add-on" UE thread fixed length mic boom-BLK	140,34	171,21
A/113 CH AM	"Add-on" US thread fixed length mic boom-CHR	140,34	171,21
A/113 CH EU	"Add-on" UE thread fixed length mic boom-CHR	140,34	171,21
A/114 BK AM	"Short" US thread cast iron base table Mic std-BLK	301,32	367,61
A/114 BK EU	"Short" UE thread cast iron base table Mic std-BLK	301,32	367,61
A/114 CH AM	"Short" US thread cast iron base table Mic std-CHR	301,32	367,61
A/114 CH EU	"Short" UE thread cast iron base table Mic std-CHR	301,32	367,61
A/115 AM	"Short" US cast iron base gooseneck table stand	278,14	339,33
A/115 EU	"Short" EU cast iron base gooseneck table stand	278,14	339,33
A/188	Desk-top tripod mic std w/mic clip - Clamshell package	104,42	127,39
A/204 Bk AM	Straight"Professional"US thread,tripod mic std-BLK	229,45	279,93
A/204 Bk EU	Straight"Professional"EU thread,tripod mic std-BLK	229,45	279,93
A/204 CH AM	Straight"Professional"US thread,tripod mic std-CHR	229,45	279,93
A/204 CH EU	Straight"Professional"EU thread,tripod mic std-CHR	229,45	279,93
A/205 Bk AM	"Prof."US thread,tripod std w/fixed boom-BLK	315,11	384,43
A/205 Bk EU	"Prof."EU thread,tripod std w/fixed boom-BLK	315,11	384,43
A/205 CH AM	"Prof."US thread,tripod std w/fixed boom-CHR	315,11	384,43
A/205 CH EU	"Prof."EU thread,tripod std w/fixed boom-CHR	315,11	384,43
A/206 Bk AM	"Prof." US thread,tripod w/telesc. boom - BLK	359,85	439,02
A/206 Bk EU	"Prof." EU thread,tripod w/telesc. boom - BLK	359,85	439,02
A/206 CH AM	"Prof." US thread,tripod w/telesc. boom - CHR	359,85	439,02
A/206 CH EU	"Prof." EU thread,tripod w/telesc. boom - CHR	359,85	439,02
A 208 BK AM	Mic.stand w/4.5Kg round cast-iron base-AM thread-BLK	202,75	247,36
A 208 BK EU	Mic.stand w/4.5Kg round cast-iron base-EU thread-BLK	202,75	247,36
A/209 BK AM	Straight"Professional"US thread,tripod mic std-BLK	208,95	254,92
A/209 BK EU	Straight"Professional"EU thread,tripod mic std-BLK	208,95	254,92
A/209 CH AM	Straight"Professional"US thread,tripod mic std-CHR	214,75	262,00
A/209 CH EU	Straight"Professional"EU thread,tripod mic std-CHR	214,75	262,00
A/210 Bk AM	"Prof." US thread,tripod std w/fixed boom-BLK	243,18	296,68
A/210 Bk EU	"Prof." EU thread,tripod std w/fixed boom-BLK	243,18	296,68
A/210 CH AM	"Prof."US thread,tripod std w/fixed boom-CHR	248,98	303,75
A/210 CH EU	"Prof."EU thread,tripod std w/fixed boom-CHR	248,98	303,75
A/211 Bk AM	"Prof." US thread,tripod std w/telesc. boom-BLK	256,23	312,60
A/211 Bk EU	"Prof." EU thread,tripod std w/telesc. boom-BLK	256,23	312,60
A/211 CH AM	"Prof." US thread,tripod std w/telesc. boom-CHR	262,03	319,68
A/211 CH EU	"Prof." EU thread,tripod std w/telesc. boom-CHR	262,03	319,68
A/212 BK AM	Low-profile mic.boom std w/zinc-alloy tripod base-AM-BLK	194,00	236,68
A/212 BK EU	Low-profile mic.boom std w/zinc-alloy tripod base-EU-BLK	194,00	236,68
A/213 BK AM	Telescoping low-profile mic.boom std w/zinc-alloy tripod base-AM-BLK	204,13	249,04
A/213 BK EU	Telescoping low-profile mic.boom std w/zinc-alloy tripod base-EU-BLK	204,13	249,04
A/291 Bk AM	"Add-on" US thread telescopic mic boom-BLK	178,94	218,31
A/291 Bk EU	"Add-on" UE thread telescopic mic boom-BLK	178,94	218,31
A/291 CH AM	"Add-on" US thread telescopic mic boom-CHR	178,94	218,31
A/291 CH EU	"Add-on" UE thread telescopic mic boom-CHR	178,94	218,31
A/300 Bk AM	"Microlite" US thread, tripod w/fixed boom - BLK	191,29	233,38
A/300 Bk EU	"Microlite" EU thread, tripod w/fixed boom - BLK	191,29	233,38
A/300 Ch AM	"Microlite" US thread, tripod w/fixed boom - CHR	191,29	233,38
A/300 Ch EU	"Microlite" EU thread, tripod w/fixed boom - CHR	191,29	233,38
A/340 Bk AM	Short "Microlite" US thread,tripod,fixed boom -BLK	207,84	253,57
A/340 Bk EU	Short "Microlite" EU thread,tripod,fixed boom -BLK	207,84	253,57
A/340 Ch AM	Short "Microlite" US thread,tripod,fixed boom -CHR	207,84	253,57
A/340 Ch EU	Short "Microlite" EU thread,tripod,fixed boom -CHR	207,84	253,57
A/341 Bk AM	Short"Microlite" US thread,tripod,w/telesc.boom-BLK	262,85	320,67
A/341 Bk EU	Short"Microlite" EU thread,tripod,w/telesc.boom-BLK	262,85	320,67

TAM

Model N°	Opis	VPC/kn	MPC/Kn
A/341 Ch AM	Short"MicroLite" US thread,tripod,w/telesc.boom-CHR	262,85	320,67
A/341 Ch EU	Short"MicroLite" EU thread,tripod,w/telesc.boom-CHR	262,85	320,67
A/342 Bk AM	Short"MicroLite"US thread,round base w/boom-BLK	347,68	424,17
A/342 Bk EU	Short"MicroLite"EU thread,round base w/boom-BLK	347,68	424,17
A/342 Ch AM	Short"MicroLite"US thread,round base w/boom-CHR	347,68	424,17
A/342 Ch EU	Short"MicroLite"EU thread,round base w/boom-CHR	347,68	424,17
A/343 Bk AM	Short"MicroLite" US,round base,w/telesc.boom-BLK	377,58	460,64
A/343 Bk EU	Short"MicroLite"EU,round base,w/telesc.boom-BLK	377,58	460,64
A/343 Ch AM	Short"MicroLite"US,round base,w/telesc.boom-CHR	377,58	460,64
A/343 Ch EU	Short"MicroLite"EU,round base,w/telesc.boom-CHR	377,58	460,64
A/344 Bk AM	Straight "MicroLite" US thread, tripod stand - BLK	155,70	189,95
A/344 Bk EU	Straight "MicroLite" EU thread, tripod stand - BLK	155,70	189,95
A/344 Ch AM	Straight "MicroLite" US thread, tripod stand - CHR	155,70	189,95
A/344 Ch EU	Straight "MicroLite" EU thread, tripod stand - CHR	155,70	189,95
A/345 Bk AM	"MicroLite"US thread,straight,round base stand-BLK	310,59	378,92
A/345 Bk EU	"MicroLite"EU thread,straight,round base stand-BLK	310,59	378,92
A/345 Ch AM	"MicroLite"US thread,straight,round base stand-CHR	310,59	378,92
A/345 Ch EU	"MicroLite"EU thread,straight,round base stand-CHR	310,59	378,92
A/346 Bk AM	"MicroLite" US thread,tripod w/telescopic boom-BLK	231,79	282,78
A/346 Bk EU	"MicroLite" EU thread,tripod w/telescop. boom-BLK	231,79	282,78
A/346 Ch AM	"MicroLite" US thread,tripod w/telescop. boom-CHR	231,79	282,78
A/346 Ch EU	"MicroLite" EU thread,tripod w/telescop. boom-CHR	231,79	282,78
A/351 Bk AM	Straight angle & height adjustable tripod mic std - US thread - BLK	254,40	310,37
A/351 Bk EU	Straight angle & height adjustable tripod mic std - EU thread - BLK	254,40	310,37
A/371 BK AM	Straight "MicroLite" US thread, tripod stand - BLK	145,14	177,07
A/371 BK EU	Straight "MicroLite" EU thread, tripod stand - BLK	145,14	177,07
A/371 CH AM	Straight "MicroLite" US thread, tripod stand - CHR	148,04	180,61
A/371 CH EU	Straight "MicroLite" EU thread, tripod stand - CHR	148,04	180,61
A/372 Bk AM	"MicroLite" US thread, tripod w/fixe boom - BLK	179,37	218,83
A/372 Bk EU	"MicroLite" EU thread, tripod w/fixe boom - BLK	179,37	218,83
A/372 Ch AM	"MicroLite" US thread, tripod w/fixe boom - CHR	185,17	225,90
A/372 Ch EU	"MicroLite" EU thread, tripod w/fixe boom - CHR	185,17	225,90
A/373 Bk AM	"MicroLite" US thread,tripod w/telescopic boom-BLK	192,42	234,75
A/373 Bk EU	"MicroLite"EU thread,tripod w/telescopic boom-BLK	192,42	234,75
A/373 Ch AM	"MicroLite"US thread,tripod w/telescopic boom-CHR	198,22	241,83
A/373 Ch EU	"MicroLite"EU thread,tripod w/telescopic boom-CHR	198,22	241,83
A 378 BK AM	Low-profile mic.boom std w/nylon tripod base-AM-BLK	130,18	158,81
A 378 BK EU	Low-profile mic.boom std w/nylon tripod base-EU-BLK	130,18	158,81
A 379 BK AM	Telescoping low-profile mic.boom std w/nylon tripod base-AM-BLK	140,54	171,46
A 379 BK EU	Telescoping low-profile mic.boom std w/nylon tripod base-EU-BLK	140,54	171,46
A/384 BK AM	"Add-on", 16" US thread fixed length mic boom-BLK	42,64	52,02
A/384 BK EU	"Add-on", 16" UE thread fixed length mic boom-BLK	42,64	52,02
A/384 CH AM	"Add-on", 16" US thread fixed length mic boom-CHR	48,44	59,09
A/384 CH EU	"Add-on", 16" UE thread fixed length mic boom-CHR	48,44	59,09
A/385 Bk AM	"Add-on", 30" US thread fixed length mic boom-BLK	42,64	52,02
A/385 Bk EU	"Add-on", 30" UE thread fixed length mic boom-BLK	42,64	52,02
A/385 CH AM	"Add-on", 30" US thread fixed length mic boom-CHR	48,44	59,09
A/385 CH EU	"Add-on", 30" UE thread fixed length mic boom-CHR	48,44	59,09
A/386 Bk AM	"Add-on" US thread telescopic mic boom-BLK	57,72	70,42
A/386 Bk EU	"Add-on" UE thread telescopic mic boom-BLK	57,72	70,42
A/386 CH AM	"Add-on" US thread telescopic mic boom-CHR	63,52	77,50
A/386 CH EU	"Add-on" UE thread telescopic mic boom-CHR	63,52	77,50
A/392 Bk AM	Short, US thread,nylon round base std w/boom-BLK	203,97	248,85
A/392 Bk EU	Short, EU thread,nylon round base std w/boom-BLK	203,97	248,85
A/393 Bk AM	Short, US nylon round base std w/telesc.Boom -BLK	231,79	282,78
A/393 Bk EU	Short, EU nylon round base std w/telesc.Boom -BLK	231,79	282,78
A/399 Bk AM	"MicroLite"US thread,straight,round base stand-BLK	171,52	209,26
A/399 Bk EU	"MicroLite"EU thread,straight,round base stand-BLK	171,52	209,26
A/399 MCA AS AM	"MicroLite" US thread,straight, round base-ASSORT	1.715,22	2.092,56
A/399 MCA AS EU	"MicroLite" EU thread,straight, round base-ASSORT	1.715,22	2.092,56

TAM

Model N°	Opis	VPC/kn	MPC/Kn
A/399 MCA BK AM	"Microlite"US thread, straight, round base stand-BLK	1.715,22	2.092,56
A/399 MCA BK EU	"Microlite"EU thread, straight, round base stand-BLK	1.715,22	2.092,56
A/408 Bk AM	"One-Hand Clutch" straight angle & height adjustable tripod mic std - US thread - BLK	358,72	437,64
A/408 Bk EU	"One-Hand Clutch" straight angle & height adjustable tripod mic std - EU thread - BLK	358,72	437,64
A/497 Bk AM	"One-Hand Clutch" US, straight, tripod base std-BLK	249,57	304,47
A/497 Bk EU	"One-Hand Clutch" EU, straight, tripod base std-BLK	249,57	304,47
A/498 Bk AM	"One-Hand Clutch" US, straight, round base std-BLK	249,57	304,47
A/498 Bk EU	"One-Hand Clutch" EU, straight, round base std-BLK	249,57	304,47
A/50 AM	US thread"Studio"tripod std w/telescopic boom-BLK	1.038,40	1.266,85
A/50 EU	UE thread"Studio"tripod std w/telescopic boom-BLK	1.038,40	1.266,85
A/85 AM	US thread"Studio"tripod std w/telescopic boom-BLK	613,55	748,53
A/85 EU	UE thread"Studio"tripod std w/telescopic boom-BLK	613,55	748,53
BC/414	SOCAPEX gold-plated 19pin panel mount socket	640,36	781,24
BC/415	SOCAPEX gold-plated 19pin panel mount plug	656,60	801,05
BC/416	SOCAPEX gold-plated 19pin cable mount socket	711,76	868,35
BC/417	SOCAPEX gold-plated 19pin cable mount plug	806,96	984,49
BC/418	ILME silver-plated 6pin panel mount plug	122,08	148,94
BC/419	ILME silver-plated 10pin panel mount plug	150,36	183,44
BC/420	ILME silver-plated 16pin panel mount plug	170,52	208,03
BC/421	ILME silver-plated 24pin panel mount plug	197,68	241,17
BC/422	ILME silver-plated 6pin cable mount plug	97,72	119,22
BC/423	ILME silver-plated 10pin cable mount plug	117,88	143,81
BC/424	ILME silver-plated 16pin cable mount plug	148,68	181,39
BC/426	ILME silver-plated 24pin cable mount plug	183,12	223,41
BC/427	ILME silver-plated 6pin panel mount socket	122,92	149,96
BC/428	ILME silver-plated 10pin panel mount socket	152,04	185,49
BC/442	ILME silver-plated 16pin panel mount socket	175,00	213,50
BC/443	ILME silver-plated 24pin panel mount socket	204,12	249,03
BC/444	ILME silver-plated 6pin cable mount socket	98,56	120,24
BC/445	ILME silver-plated 10pin cable mount socket	119,56	145,86
BC/446	ILME silver-plated 16pin cable mount socket	153,16	186,86
BC/447	ILME silver-plated 24pin cable mount socket	189,56	231,26
BCE/004	Panel socket, 16A 6H 200/250V 3-pin IP44	48,44	59,10
BCE/005	Panel socket, 32A 6H 200/250V 3-pin IP44	70,28	85,74
BCE/006	Panel socket, 63A 6H 200/250V 3-pin IP44	222,32	271,23
BCE/007	Inline cable socket, 16A 6H 200/250V 3-pin IP44	48,44	59,10
BCE/008	Inline cable socket, 32A 6H 200/250V 3-pin IP44	75,88	92,57
BCE/009	Inline cable socket, 63A 6H 200/250V 3-pin IP44	279,72	341,26
BCE/010	Inline cable socket, 16A 6H 200/250V 3-pin IP67	81,20	99,06
BCE/011	Inline cable socket, 32A 6H 200/250V 3-pin IP67	114,24	139,37
BCE/012	Inline cable socket, 63A 6H 200/250V 3-pin IP67	279,72	341,26
BCE/013	Inline cable plug, 16A 6H 200/250V 3-pin IP44	31,08	37,92
BCE/014	Inline cable plug, 32A 6H 200/250V 3-pin IP44	53,76	65,59
BCE/015	Inline cable plug, 63A 6H 200/250V 3-pin IP44	254,80	310,86
BCE/016	Inline cable plug, 16A 6H 200/250V 3-pin IP67	61,32	74,81
BCE/017	Inline cable plug, 32A 6H 200/250V 3-pin IP67	89,60	109,31
BCE/018	Inline cable plug, 63A 6H 200/250V 3-pin IP67	249,76	304,71
BCE/019	Angle panel plug, 16A 6H 200/250V 3-pin IP67	73,08	89,16
BCE/020	Angle panel plug, 32A 6H 200/250V 3-pin IP67	101,36	123,66
BCE/022	Panel sock., 16A 6H 200//346 240/415V 5-pin IP67	73,36	89,50
BCE/023	Panel sock., 32A 6H 200//346 240/415V 5-pin IP67	99,40	121,27
BCE/024	Panel sock., 63A 6H 200//346 240/415V 5-pin IP67	261,24	318,71
BCE/025	Panel sock., 16A 6H 200//346 240/415V 5-pin IP44	70,28	85,74
BCE/026	Panel sock., 32A 6H 200//346 240/415V 5-pin IP44	90,44	110,34
BCE/027	Panel sock., 63A 6H 200//346 240/415V 5-pin IP44	313,04	381,91
BCE/028	Cable plug., 16A 6H 200//346 240/415V 5-pin IP44	44,24	53,97
BCE/029	Cable plug., 32A 6H 200//346 240/415V 5-pin IP44	63,00	76,86
BCE/030	Cable plug., 63A 6H 200//346 240/415V 5-pin IP44	284,20	346,72
BCE/031	Panel plug, 16A 6H 200/346 240/415V 5-pin IP67	95,76	116,83
BCE/032	Panel plug, 32A 6H 200/346 240/415V 5-pin IP67	121,52	148,25

TAM

Model N°	Opis	VPC/kn	MPC/Kn
BCE/033	Panel plug, 63A 6H 200/346 240/415V 5-pin IP67	350,56	427,68
BS/136	"Straight" monitor std w/single-column -91.4cm high	346,37	422,57
BS/142	"Straight" monitor std w/single-column-106,6cm high	357,28	435,88
BS/300	"Straight" monitor std w/singleadjust. height column	275,11	335,63
BS/313	"X-Style" small, TILT-BACK long neck speaker stand	199,76	243,71
BS/315	"Straight" monitor std w/singleadjust. height column	481,54	587,47
BS/317	Double brace, low profile AMP / MONITOR stand - BLACK	264,13	322,24
BS/336	"Straight" monitor std w/triple-column -91.4cm high	472,91	576,95
BS/342	"Straight" monitor std w/triple-column -106.6cm high	505,30	616,46
BS/618	Single brace, large AMP / MONITOR stand - BLACK	236,33	288,32
BS/619	"X-Style" portable adjust. speaker/monitor stand	406,56	496,00
BS/620	Single brace, adjust.back AMP/MONITOR stand -BLACK	353,70	431,51
BS/628	Double brace, large AMP / MONITOR stand - BLACK	315,23	384,58
BW/600E	Telescoping cart (83 to 125cm) with foldable handle and fixed plate - gun metal grey/blue finish	1.249,60	1.524,51
BW/800	Fixed-length cart with two foldable handles - 122cm (48") long - gun metal grey/blue finish	1.038,40	1.266,85
BX/6	Quality line keyboard bench with large, extra-thick Vinyl seat	286,40	349,41
BX/8	Quality line keyboard bench with extra-thick Vinyl seat	214,64	261,86
BX/9	Quality line keyboard bench with thin Vinyl seat	185,70	226,55
BX/10	"Quality line" keyboard bench with 25X53cm seat	260,65	318,00
BX/12	"Quality line" keyboard bench with 30X60cm seat	280,92	342,73
BX/12 TI	"Quality line" keyboard bench with 30X60cm seat - Titanium	280,92	342,73
BX/14	Quality line bench with Extra-Thick 30X60cm seat	344,56	420,36
BX/714	"Musicians stool" with back rest	913,53	1.114,51
BX/716	"DeLuxe" keyboard bench with 25X53cm seat	396,98	484,32
BX/718	"DeLuxe" bench with Extra-Thick 30X60cm seat	445,03	542,94
BZ/7	"Rapid Set-up" fully adjust. Musicians seat - Black	863,52	1.053,49
BZ/7 TI	"Rapid Set-up" fully adjust. Musicians seat - Titanium	863,52	1.053,49
CB 6/2	"Nylon" tote bag for two S 6 or SP 180	84,23	102,77
CB 9/2	"Nylon" tote bag for two S 9, SP 189, SP 190 or S 221	97,41	118,84
CP/580	ILME 6pin panel mount socket cover	46,48	56,71
CP/581	ILME 10pin panel mount socket cover	53,76	65,59
CP/582	ILME 16pin panel mount socket cover	54,60	66,61
CP/583	ILME 24pin panel mount socket cover	57,40	70,03
CP/584	ILME 6pin panel mount socket cover	85,68	104,53
CP/585	ILME 10pin panel mount socket cover	122,92	149,96
CP/586	ILME 16pin panel mount socket cover	124,88	152,35
CP/587	ILME 24pin panel mount socket cover	127,68	155,77
D/702	Drummer throne	557,57	680,23
D/704	Drummer throne w/backrest	752,00	917,44
D/707	"Drum Throne" with memory clamp	614,93	750,21
D/710	"Drum Throne" with memory clamp & back rest	890,75	1.086,72
D/739	"Rapid Set-up" adjust.stool with footrest	595,41	726,40
D/740	"Drum Throne" with screw shaft height adjustment	683,07	833,35
D/742	Drum Throne with screw shaft adjust.& backrest	917,87	1.119,80
D/748	Drum Throne w/screw shaft adjust.& backrest	917,84	1.119,76
D/749	"Rapid Set-up" stool with footrest &backrest	827,20	1.009,18
D/751	"Backrest" for D 739 stool	239,36	292,02
DMX/1400-1	DMX equipment cable w/two- 5pin XLR connectors, 1m	42,00	51,24
DMX/1400-10	DMX equipment cable w/two- 5pin XLR connectors, 10m	115,36	140,74
DMX/1400-15	DMX equipment cable w/two- 5pin XLR connectors, 15m	154,56	188,56
DMX/1400-5	DMX equipment cable w/two- 5pin XLR connectors, 5m	73,36	89,50
DMX/1500-10	DMX equip/power cable w/two-5pin XLR -2 EU conn, 10m	362,88	442,71
DMX/1500-20	DMX equip/power cable w/two-5pin XLR -2 EU conn, 20m	603,68	736,49
DMX/1500-30	DMX equip/power cable w/two-5pin XLR -2 EU conn, 30m	844,48	1.030,27
DMX/1500-5	DMX equip/power cable w/two-5pin XLR -2 EU conn, 5m	242,48	295,83
DS/35	Drum machine stand for Yamaha DD-35	207,34	252,95
DS/55	Drum machine stand for Yamaha DD-55	280,60	342,33
ESP/1	P.O.P. Accessory display stand	1.408,88	1.718,83
ESP/399	"Microlite" Nylon round base store display stand	718,08	876,06
ESP/6	Bulk cable display stand	1.161,78	1.417,37

TAM

Model N°	Opis	VPC/kn	MPC/Kn
F/118	UE thread flexible gooseneck mic attachment-30.5cm	94,34	115,09
F/119	UE thread flexible gooseneck mic attachment-50,8cm	108,24	132,05
FS/01	Metal frame guitarist footrest - BLACK	55,24	67,39
FS/590	Ergonomical adjustable footrest for children pianists	408,16	497,96
G/220	Double braced ESP 1 display hook	14,89	18,17
G/222	Single braced ESP 1 display hook	14,89	18,17
G/259	In-line ITALIAN cable plug, 10A 200/250V	15,96	19,47
G/259T	In-line SCHUKO cable plug, 16A 200/250V	29,96	36,55
GS/402	Small guitar wall hanger w/rotating & straight forks -BLK	59,80	72,96
GS/403	Small guitar wall hanger w/rotating & upraised forks -BLK	62,12	75,78
GS/405	Revolving multiple-guitar display stand	1.472,58	1.796,54
GS/410	ACOUSTIC guitar wall hanger - BLACK	203,97	248,85
GS/413	ELECTRIC guitar wall hanger - BLACK	203,97	248,85
GS/420	2-GUITAR universal stand/display - BLACK	410,08	500,30
GS/430	3-GUITAR universal stand/display - BLACK	491,04	599,07
GS/436	Low "A" frame ELECTRIC guitar stand - BLACK	92,54	112,90
GS/437	Low "A" frame ACOUSTIC guitar stand - BLACK	92,54	112,90
GS/438	"A" frame Universal guitar stand - black	92,54	112,90
GS/449 AS	Injection-molded plastic guitar stand - POP display box of 10pcs. in 5 assorted colors	158,72	193,64
GS/449 BK	Injection-molded plastic guitar stand - POP display box of 10pcs. in black color	158,72	193,64
GS/450	5-GUITAR universal stand/display - BLACK	582,56	710,72
GS/454	Small GUITAR wall hanger w/double braced arms- BLACK	74,62	91,04
GS/454L	Large GUITAR wall hanger w/double braced arms- BLACK	76,38	93,19
GS/455	Single universal guitar stand - height adjustable - black	303,20	369,90
GS/457	Multiple universal guitar stand for 3 guitars- height adjustable - black	428,80	523,14
GS/471	7-GUITAR universal stand/display - BLACK	711,04	867,47
M/2	"THE MONOLITH", fully adjust. ADD-ON tier for M 91 - black finish	495,44	604,44
M/2 TI	"THE MONOLITH", fully adjust. ADD-ON tier for M 91 TI - titanium finish	522,72	637,72
M/91	"THE MONOLITH", Single-tier keyboard stand -BLACK	854,48	1.042,47
M/91 TI	"THE MONOLITH", Single-tier keyboard stand -TITANIUM	915,20	1.116,54
M/91L	"THE MONOLITH", EXTRA-WIDE single-tier stand for digital pianos - BLACK	1.161,60	1.417,15
M/91L TI	"THE MONOLITH", EXTRA-WIDE single-tier stand for digital pianos - titanium	1.214,40	1.481,57
M/92	"THE MONOLITH", Double-tier keyboard stand-BLACK	1.351,50	1.648,83
M/92 TI	"THE MONOLITH", Double-tier keyb. Stand -TITANIUM	1.425,60	1.739,23
MBW/1249	Box w/7-16A 250V EU sock/1-16A-200/250V plug.+switch	1.334,46	1.628,05
MP/840	Microphone nylon holder	10,03	12,24
MP/850	Spring-loaded plastic mic clip	9,33	11,38
MP/860	Slip-in tapered plastic mic holder	18,45	22,51
MP/890	Large Slip-in tapered plastic mic holder	10,03	12,24
MP/892	Slip-in tapered plastic mic holder	9,33	11,38
MS/301	Prof 'ORCHESTRA' sheet music std w/wood desk	619,17	755,38
MS/302	STUDENT' sheet music std with folding music holder	156,66	191,13
MS/303	Small CLAMP-ON sheet music holder	171,99	209,82
MS/307	Single clamp-on lampholder for 220V power	65,65	80,09
MS/308	STUDENT' sheet std with wire mesh music holder	291,28	355,36
MS/311	ORCHESTRA' sheet music std with ALL metal desk	355,17	433,30
MS/316	Large CLAMP-ON sheet music holder	236,33	288,32
MS/320	ORCHESTRA' sheet music std with ALL metal desk	356,93	435,45
MS/321	ORCHESTRA' sheet music std w/3-page metal desk	389,49	475,18
MS/327	Double clamp-on lampholder for 220V power	389,49	475,18
MS/328	Small CLAMP-ON utility tray	170,36	207,84
MS/329	Large CLAMP-ON utility tray	186,59	227,64
MS/330	ORCHESTRA sheet stand w/perforated metal desk & nylon carrying bag	271,36	331,06
MS/331	ORCHESTRA sheet stand w/perforated metal desk	275,59	336,22
MS/332	ORCHESTRA sheet stand w/WOOD MUSIC desk	369,60	450,91
MS/334	Light-weight music stand w/nylon carrying bag	90,69	110,64
OCK/4	OM Series caster kit (2pcs w/brake-2pcs non-locking)	331,76	404,75
OE/120 BK	Entertainment Center w/casters- BLACK	2.799,61	3.415,52
OE/120 MG	Entertainment Center w/casters- GRAY	2.799,61	3.415,52
OM/1 BK	OM Series furniture leg kit (2pcs)	1.897,92	2.315,46

TAM

Model N°	Opis	VPC/kn	MPC/Kn
OM/25 BK	MIXER furniture crossbar kit (3pcs) for units 63,5cm wide	515,38	628,77
OM/34 BK	MIXER furniture crossbar kit (3pcs) for units 86,4cm wide	564,47	688,65
OM/44 BK	MIXER furniture crossbar kit (3pcs) for units 111,8cm wide	613,55	748,53
OM/55 BK	MIXER furniture crossbar kit (3pcs) for units 139,5cm wide	679,00	828,38
OM/62 BK	MIXER furniture crossbar kit (3pcs) for units 157cm wide	728,08	888,26
OR/110A BK AM	US rack rail, "10-U" ADD-ON Optimum stand -BLACK	1.271,11	1.550,76
OR/110A EU	EU rack rail, "10-U" ADD-ON Optimum stand -BLACK	1.271,11	1.550,76
OR/110A MG AM	US rack rail, "10-U" ADD-ON Optimum stand -GRAY	1.271,11	1.550,76
OR/110A MG EU	EU rack rail, "10-U" ADD-ON Optimum stand -GRAY	1.271,11	1.550,76
OR/110B BK AM	US rack rail, "10-U" Optimum stand W/casters -BLACK	1.838,53	2.243,00
OR/110B EU	EU rack rail, "10-U" Optimum stand W/casters -BLACK	1.838,53	2.243,00
OR/110B MG AM	US rack rail, "10-U" Optimum stand W/casters -GRAY	1.838,53	2.243,00
OR/110B MG EU	EU rack rail, "10-U" Optimum stand W/casters -GRAY	1.838,53	2.243,00
OR/120A BK AM	US rack rail, "20-U" Optimum stand -BLACK	1.765,00	2.153,30
OR/120A EU	EU rack rail, "20-U" Optimum stand -BLACK	1.765,00	2.153,30
OR/120A MG AM	US rack rail, "20-U" Optimum stand -GRAY	1.765,00	2.153,30
OR/120A MG EU	EU rack rail, "20-U" Optimum stand -GRAY	1.765,00	2.153,30
OR/120B BK AM	US rack rail, "20-U" Optimum stand W/casters -BLACK	2.332,41	2.845,55
OR/120B EU	EU rack rail, "20-U" Optimum stand W/casters -BLACK	2.332,41	2.845,55
OR/120B MG AM	US rack rail, "20-U" Optimum stand W/casters -GRAY	2.332,41	2.845,55
OR/120B MG EU	EU rack rail, "20-U" Optimum stand W/casters -GRAY	2.332,41	2.845,55
PB/110	"Deluxe" steel piano style bench	357,05	435,60
PB/120	"Deluxe" piano bench w/ Music Compartment	592,21	722,50
PB/223	"Deluxe" steel piano style bench w/ergonomical adjustable seat	600,80	732,98
PB/248	Audio patch-bay	440,00	536,80
PS/10	Control pedal with NORMALLY OPEN contacts	57,10	69,66
PS/15	Control pedal with NORMALLY CLOSED contacts	57,10	69,66
PS/20	Single ON/OFF footswitch	62,88	76,72
PS/2010	Control pedal with NORMALLY OPEN contacts	57,10	69,66
PS/2015	Control pedal with NORMALLY CLOSED contacts	57,10	69,66
PS/2020	Single ON/OFF footswitch	62,88	76,72
PS/2025	Dual pedal w/normally OPEN or CLOSED contacts	79,82	97,38
PS/25	Dual pedal w/normally OPEN or CLOSED contacts	79,82	97,38
PW/250	WAILER effects pedal, w/traditional Wah-Wah	318,14	388,13
QCC/1	Cable Management clip - pack of one unit	8,80	10,74
QCC/1-12	Cable Management clip - pack of twelve units	88,00	107,36
QF/410	ACOUSTIC guitar QF 51 display hanger - BLACK	203,97	248,85
QF/413	ELECTRIC guitar QF 51 display hanger - BLACK	203,97	248,85
QF/50	Free standing four-sided column display stand	1.835,74	2.239,61
QF/51	Single-column guitar display stand	482,11	588,18
QF/548	Single-column display mount for wall application	203,56	248,34
QF/592	Large perforated metal shelf	170,26	207,72
QF/593	Width adjustable dual speaker shelves	512,37	625,09
QF/594	Small tier for straight column stands	149,32	182,17
QF/595	Large tier for straight column stands	167,53	204,39
QF/597	Large perforated metal shelf	182,10	222,16
QF/598	Extra-Large perforated metal shelf	241,03	294,06
QL/155	Twist-Lok single braced single tier stand - BLACK	205,43	250,62
QL/156	Twist-Lok dBle braced single tier stand - BLACK	279,05	340,44
QL/30	Small"Wall-Mount"speaker std.w/small mount. plate	171,29	208,97
QL/30-E	Small"Wall-Mount"speaker std.w/large mount. plate	171,29	208,97
QL/322	T-reX table top keyboard/speaker stand - BLACK	166,62	203,28
QL/400	FULLY ADJUSTABLE studio locator stand	624,80	762,26
QL/402	EXTRA-WIDE fully adjustable studio locator stand	836,08	1.020,02
QL/406	FULLY ADJUSTABLE UNIVERSAL studio locator stand	642,93	784,37
QL/425	Adjustable KARAOKE TV stand	982,77	1.198,98
QL/60	Large"Wall-Mount"speaker std. w/universal m.plate	292,93	357,37
QL/606 3 Bk	"QUIK-LOK" single braced single tier std - Box of 3	267,87	326,80
QL/606 Bk	"QUIK-LOK" single braced single tier keyb. Stand - BLK	280,37	342,05
QL/609 3 Bk	"AUTO-DISC"single braced single tier stg. pack 3	329,65	402,17

TAM

Model N°	Opis	VPC/kn	MPC/Kn
QL/609 Bk	"AUTO-DISC" single braced single tier stand	339,68	414,41
QL/610	"AUTO-DISC" double braced single tier stand	390,85	476,84
QL/614	Amp stand system - consists of QL616 amp stand + QL617 guitar holder + A386 mic boom	695,20	848,14
QL/615	Heavy duty, adjustable large-size AMP stand - BLACK	515,68	629,13
QL/616	Heavy duty, adjustable small and medium-size AMP stand - BLACK	453,02	552,69
QL/617	QL616 add-on guitar& mic boom attachment - BLACK	170,90	208,49
QL/623 Bk	"QUIK-LOK" double braced triple tier keyb. Stand - BLK	819,20	999,42
QL/630	Fixed fork, small AMP / MONITOR stand - BLACK	342,12	417,38
QL/631	Low "A" frame ELECTRIC guitar stand - BLACK	155,76	190,03
QL/632	Low "A" frame DREADNOUGHT guitar stand -BLACK	163,55	199,53
QL/633	Low "A" frame ACOUSTIC guitar stand - BLACK	159,65	194,78
QL/634 Bk	Small fixed angle tier	149,32	182,17
QL/635 Bk	Large fixed angle tier	167,53	204,39
QL/636 Bk	Large tilt adjustable tier	218,52	266,60
QL/636S	Small tilt adjustable tier	214,88	262,15
QL/637	Adjustable sheet music holder (reuires QL 639)	175,83	214,51
QL/638 AM	US thread adjustable mic boom (requires QL 639)	186,57	227,61
QL/638 EU	EU thread adjustable mic boom (requires QL 639)	186,57	227,61
QL/639	Accessory clamp needed for QL 637 and QL 638	109,55	133,65
QL/640	Fully adjustable small AMP / MONITOR stand - BLACK	562,17	685,84
QL/641	"QUIK-LOK" double braced double tier keyb. std - BLK	724,37	883,73
QL/642	"QUIK-LOK" double braced double tier keyb. std - BLK	664,67	810,90
QL/643	Fully adjustable small AMP / MONITOR stand - BLACK	454,30	554,25
QL/646	"QUIK-LOK" double braced double tier keyb. std - BLK	369,56	450,86
QL/648	Small fixed-angle perforated metal shelf	170,27	207,72
QL/649	Large fixed-angle perforated metal shelf	182,10	222,16
QL/650	Extra-Large fixed-angle perforated metal shelf	259,60	316,71
QL/662	Perforated sheet metal ADD-ON shelf	273,07	333,14
QL/690-0 Bk	"H-Back" slant-back column display stand	382,41	466,54
QL/690-R2	Slant-back column display stand w/two adjust.tiers	734,02	895,50
QL/691	Single Electric guitar std w/adjust.height neck rest -BLK	227,15	277,12
QL/692	Single guitar stand w/adjust. height guitar neck rest -BLK	235,26	287,02
QL/694	Double guitar stand w/adjust. height guitar neck rest -BLK	297,89	363,43
QL/695	"H-Back" slant-back two tier keyboard stand	919,49	1.121,78
QL/696 AS	Low"A" frame Universal guitar std -Assorted colours	1.207,14	1.472,71
QL/696 BK	Low"A" frame ELECTRIC/ACOUSTIC guitar stand-BLK	150,89	184,09
QL/699	"H-Back" slant-back three tier keyboardstand	1.115,11	1.360,43
QL/746	"QUIK-LOK" double braced double tier keyb. std - BLK	415,10	506,42
QL/801	Alto/Tenor sax stand w/one peg	119,97	146,37
QL/802	Alto/Tenor sax stand w/two pegs	137,38	167,60
QL/804	Double Alto/Tenor sax stand w/two pegs	180,82	220,60
QL/806	Standing Saxophone stand	162,33	198,04
QL/808	Baritone Saxophone stand	180,47	220,17
QL/811	Clarinet/Flute stand	27,88	34,02
QL/821	Trumpet/Cornet stand	88,56	108,04
QL/831	Trombone stand	133,62	163,01
QL/8P1	Flute/Clarinet peg - optional for QL-801-802	41,62	50,78
QL/8P2	Soprano sax peg - optional for QL-801-802	41,62	50,78
QL/90	Tilt adjust."Wall-Mount"for speaker w/35mm adapt.	254,51	310,50
QL/90 CK	"QL90" corner mounting plate kit	81,81	99,80
QLC/1-U	Universal "C" clamp par can/lighting effects	72,72	88,71
QLC/38	Quick disconnect "Light/Effect" clamp for 38mm tubing	136,34	166,34
QLX/1	Fully-adjustable second tier add-on-BLACK	324,50	395,89
QLX/11	"QLX-recall" single braced single tier std-Box of 3	240,42	293,31
QLX/11 IC	"QLX-recall" single braced single tier std-Box of 1	247,28	301,68
QLX/12	"QLX-recall" single braced double tier std-Box of 1	498,08	607,66
QLX/2	Fixed angle second tier add-on-BLACK	198,64	242,34
QLX/21	"QLX-recall" double braced single tier std-Box of 3	323,84	395,08
QLX/21 IC	"QLX-recall" double braced single tier std-Box of 1	330,88	403,67
QLX/22	"QLX-recall" double braced double tier std-Box of 1	573,76	699,99

TAM

Model N°	Opis	VPC/kn	MPC/Kn
QLX/3	Adjustable second tier add-on-BLACK	244,05	297,74
QLX/4 AM	US thread QLX Recall telescopic boom - BLACK	196,77	240,06
QLX/4 EU	EU thread QLX recall telescopic boom - BLACK	196,77	240,06
QLX/5	QLX Recall fully adjust. sheet music holder - BLACK	214,66	261,88
QT/215-1 BK	"1-METER" section aluminium Ladder trussing - Black	340,96	415,97
QT/215-1 N	"1-METER" section aluminium Ladder trussing - natural	340,96	415,97
QT/215-2 BK	"2-METER" section aluminium Ladder trussing - Black	681,60	831,56
QT/215-2 N	"2-METER" section aluminium Ladder trussing - natural	681,60	831,56
QT/215-3 BK	"3-METER" section aluminium Ladder trussing - Black	1.104,49	1.347,48
QT/215-3 N	"3-METER" section aluminium Ladder trussing - natural	1.104,49	1.347,48
QT/315-1 BK	"1-METER" section aluminium Triangle trussing - Black	604,30	737,24
QT/315-1 N	"1-METER" section aluminium Triangle trussing - natural	604,30	737,24
QT/315-2 BK	"2-METER" section aluminium Triangle trussing - Black	1.163,62	1.419,62
QT/315-2 N	"2-METER" section aluminium Triangle trussing - natural	1.163,62	1.419,62
QT/315-3 BK	"3-METER" section aluminium Triangle trussing - Black	1.890,50	2.306,41
QT/315-3 N	"3-METER" section aluminium Triangle trussing - natural	1.890,50	2.306,41
QTA/15	"Truss mount" for QT 215 & QT 315 to tripod stands	431,76	526,74
QTA/1-U	Universal "Truss mount" for all triangle or box trusses	323,59	394,78
QTC/2	Truss"Union"connector for QT 215&QT 315 series truss	104,53	127,53
QTC/3	Truss "T" connector for QT 215 & QT 315 series truss	118,17	144,16
QTC/3540	"Steel"clamp to mount rectangular lighting bars to stands	78,32	95,56
QTC/3550	"Steel"clamp to mount round lighting bars to stands	96,31	117,50
QTC/38	"Steel"clamp for rectangular lighting bars to 38mm truss	51,16	62,41
QTC/50	"Steel"clamp for rectangular lighting bars to 50mm truss	51,16	62,41
QTC/5038	"Steel"clamp for round-shape 38mm lighting bars	74,60	91,01
QTC/5050	"Steel"clamp for round-shape 50mm lighting bars	74,60	91,01
QTJ/10 BK	"Aluminium" corner junction for triangle trussing - black	403,74	492,57
QTJ/10 N	"Aluminium" corner junction for triangle trussing - natural	403,74	492,57
QTS/2094	Complete "Aluminium" stage truss lighting system	4.359,70	5.318,83
RCT/100	Corner Workstation table top kit	1.043,49	1.273,06
RS/10 AM	AM rack rail, 10-U DESK rack stand - BLACK	208,61	254,50
RS/10 EU	EU rack rail, 10-U DESK rack stand - BLACK	208,61	254,50
RS/214 AM	US rack rail, 14-U slant rack std -BLACK w/Cherry wood	827,20	1.009,18
RS/214 EU	EU rack rail, 14-U slant rack stand -BLACK w/Cherry wood	827,20	1.009,18
RS/214 TI AM	US rack rail, 14-U slant rack std.-Titan. w/Cherry wood	862,40	1.052,13
RS/214 TI EU	EU rack rail, 14-U slant rack std.-Titan. w/Cherry wood	862,40	1.052,13
RS/228 AM	US rack rail, 28-U slant rack std -BLACK w/Cherry wood	1.126,40	1.374,21
RS/228 EU	EU rack rail, 28-U slant rack stand -BLACK w/Cherry wood	1.126,40	1.374,21
RS/228 TI AM	US rack rail, 28-U slant rack std.-Titan. w/Cherry wood	1.161,60	1.417,15
RS/228 TI EU	EU rack rail, 28-U slant rack std.-Titan. w/Cherry wood	1.161,60	1.417,15
RS/241	1-U ventilation rack panel	51,92	63,34
RS/242	2-U rack drawer	48,66	59,36
RS/243	1-U rack panel with 12-XLR mountin holes	51,63	62,99
RS/244	Magnetic writing strip for 19" racks	50,64	61,78
RS/245	1-U blank rack panel	46,67	56,94
RS/246	3-U rack drawer	61,66	75,22
RS/247	pn. VTAC 005 - EU standard M6x15 rack screw	1,72	2,10
RS/248	pn. DDAC 007 - EU thread M6 rack steel caged nut	2,58	3,14
RS/249	pn.BCPL 008 plastic cup washer for RS247 rack screw	1,03	1,26
RS/257	10-32 Allen head rack screw	1,72	2,10
RS/258	10-32 rack permanplated caged nut	2,58	3,14
RS/275	4-U rack panel	66,08	80,62
RS/276	5-U rack panel	74,46	90,84
RS/277	2-U ventilation rack panel	54,47	66,45
RS/278	3-U ventilation rack panel	78,25	95,46
RS/279	2-U rack panel with 4-XLR mounting holes	48,13	58,71
RS/280	2-U rack panel w/ 4-XLR-4 Speakon mounting holes	51,30	62,58
RS/281	1-U rack panel with 8-jack socket mounting holes	43,35	52,89
RS/282	1-U rack panel with 16-jack socket mounting holes	45,72	55,78
RS/289	1-U rack panel with 4-XLR mounting holes	44,92	54,80

TAM

Model N°	Opis	VPC/kn	MPC/Kn
RS/290	1-U rack panel with 6-XLR mounting holes	46,52	56,76
RS/292	1-U rack panel with 8-XLR mountin holes	48,13	58,71
RS/293	1-U rack panel with 8-XLR holes and rear lacing bar	89,34	108,99
RS/294	1-U rack panel with 16-XLR mountin holes	52,90	64,54
RS/295	2-U rack panel with 32-XLR mountin holes	64,82	79,08
RS/296	2-U rack panel with 32-XLR holes and rear lacing bar	147,86	180,38
RS/297	3-U rack panel with 48-XLR mountin holes	88,84	108,39
RS/298	2-U metal box for 19" rack panel	149,38	182,24
RS/299	Hole cover for XLR-holes in rack panels	6,23	7,61
RS/407 AM	US rack rail, 7-U add-on rack module -BLACK	459,18	560,20
RS/407 EU	EU rack rail, 7-U add-on rack module -BLACK	459,18	560,20
RS/410 AM	US rack rail, 10-U stand W/casters -BLACK	671,72	819,49
RS/410 EU	EU rack rail, 10-U stand W/casters -BLACK	671,72	819,49
RS/412 AM	US rack rail, 10-U add-on rack module -BLACK	606,82	740,31
RS/412 EU	EU rack rail, 10-U add-on rack module -BLACK	606,82	740,31
RS/413 AM	US rack rail, 14-U stand W/casters -BLACK	673,34	821,47
RS/413 EU	EU rack rail, 14-U stand W/casters -BLACK	673,34	821,47
RS/414 AM	US rack rail, 14-U add-on rack module -BLACK	608,44	742,29
RS/414 EU	EU rack rail, 14-U add-on rack module -BLACK	608,44	742,29
RS/415 AM	US rack rail, 10-U add-on rack module -BLACK	640,89	781,88
RS/415 EU	EU rack rail, 10-U add-on rack module -BLACK	640,89	781,88
RS/507 AM	US rack rail, 7-U add-on rack module -BLACK	540,85	659,83
RS/507 EU	EU rack rail, 7-U add-on rack module -BLACK	540,85	659,83
RS/510 AM	US rack rail, 10-U stand W/casters -BLACK	785,29	958,05
RS/510 EU	EU rack rail, 10-U stand W/casters -BLACK	785,29	958,05
RS/511	ADD-ON speaker shelf for RS/400-500 stands	170,89	208,48
RS/512 AM	US rack rail, 10-U add-on rack module -BLACK	720,39	878,88
RS/512 EU	EU rack rail, 10-U add-on rack module -BLACK	720,39	878,88
RS/513 AM	US rack rail, 14-U stand W/casters -BLACK	786,91	960,03
RS/513 EU	EU rack rail, 14-U stand W/casters -BLACK	786,91	960,03
RS/514 AM	US rack rail, 14-U add-on rack module -BLACK	722,01	880,86
RS/514 EU	EU rack rail, 14-U add-on rack module -BLACK	722,01	880,86
RS/515 AM	US rack rail, 10-U add-on rack module -BLACK	713,90	870,96
RS/515 EU	EU rack rail, 10-U add-on rack module -BLACK	713,90	870,96
RS/516	Perforated metal add-on rack top -BLACK	206,75	252,24
RS/5X	ADD-ON crossbar kit for RS/400-500 rack stands	223,61	272,80
RS/654	EU rack rail, 20-U rack equipment stand -BLACK	922,88	1.125,91
RS/655	EU rack rail, 10-U stand W/casters -BLACK	440,00	536,80
RS/656	EU rack rail, 10-U add-on rack module -BLACK	378,40	461,65
RS/657	EU rack rail, 10-U DESK rack stand - BLACK	342,46	417,80
RS/658	EU rack rail, 14-U rack equipment stand - BLACK	799,34	975,20
RS/660	1-U rack shelf	158,88	193,83
RS/663	2-U rack shelf	200,58	244,71
RS/664	1-U sliding rack shelf	721,49	880,22
RS/665	1-U shielded FLUORESCENT rack lamp	901,87	1.100,28
RS/666	1-U dual rack lamp	554,90	676,97
RS/668	1-U rack shelf	152,34	185,85
RS/669	2-U rack shelf	132,32	161,43
RS/670	2-U rack drawer	893,28	1.089,80
RS/671	3-U rack drawer	920,76	1.123,33
RS/672	2-U rack shelf with locking brackets	301,32	367,61
RS/673	1-U UNIVERSAL rack shelf	164,10	200,21
RS/674	2-U UNIVERSAL rack shelf	194,70	237,53
RS/680	EU rack rail, 34-U rack equipment stand -BLACK	1.463,43	1.785,39
RS/680 AM	US rack rail, 34-U rack equipment stand - BLACK	1.463,43	1.785,39
RS/954	US rack rail, 20-U rack equipment stand - BLACK	922,88	1.125,91
RS/955	US rack rail, 10-U stand W/casters -BLACK	440,00	536,80
RS/956	US rack rail, 10-U add-on rack module -BLACK	378,40	461,65
RS/957	AM rack rail, 10-U DESK rack stand - BLACK	342,46	417,80
RS/958	US rack rail, 14-U rack equipment stand - BLACK	799,35	975,20

TAM

Model N°	Opis	VPC/kn	MPC/Kn
RST/109	Workstation table top kit (GREY), 42.9" (109cm) wide	918,05	1.120,03
RST/164	Workstation table top kit (GREY), 64.5" (164cm) wide	963,50	1.175,47
RSW/503 AM	Starter workstation w/Cherry wood top, US 14-U rack	2.076,80	2.533,70
RSW/503 EU	Starter workstation w/Cherry wood top,EU 14-U rack	2.076,80	2.533,70
RSW/528	2-U power rack panel w/4-16A 200/250V sockets	284,72	347,35
RSW/529	2-U power rack panel w/4-32A 200/250V sockets	380,81	464,59
RSW/530	2-U power rack panel w/6-16A 200/250V sockets	397,23	484,62
RSW/531	3-U panel w/3-16A 200/250V sock.-3 breaker switches	819,34	999,60
RSW/532	3-U panel w/3-32A 200/250V sock.-3 breaker switches	900,65	1.098,80
RSW/533	3-U panel w/4-16A 200/250V sock.-4 breaker switches	1.076,37	1.313,17
RSW/534	3-U panel w/4-32A 200/250V sock.-4 breaker switches	1.184,78	1.445,44
RSW/535	3-U panel w/1-16A 200/250V tilt-angle socket	205,13	250,26
RSW/536	3-U panel w/1-32A 200/250V tilt-angle socket	236,24	288,21
RSW/537	3-U panel w/1-16A 200/250V tilted sock.-1-16A breaker switch	1.570,62	1.916,15
RSW/538	3-U panel w/1-32A 200/250V tilted sock.-1-32A breaker switch	1.658,40	2.023,24
RSW/541	3-U panel w/1-64A 200/250V sock.4XLR,2Speakon-1switch	1.704,84	2.079,91
RSW/542	2-U, Power rack box w/5-16A 250V EU sock.-6 inline sock.	1.238,13	1.510,52
RSW/543	2-U, Power rack box w/8-16A 250V EU standard sockets	1.187,31	1.448,52
RSW/546	2-U, box w/7-16A 250V EU Universal rear sock.-1 power switch	1.139,03	1.389,61
RSW/547	2-U, box w/6-Schuko sock.-1,5m cable w/1-16A-240/415V plug	636,42	776,43
RSW/549	2-U power box w/6-Schuko rear sockets -1 power switch	584,32	712,87
RSW/557	3-U panel w/1-32A 240/415V tilted plug.-1-32A breaker switch	2.757,46	3.364,10
RSW/558	6-U panel w/3-32A 240/415V sock.-3-32A breaker switches	3.400,72	4.148,88
RSW/559	6-U panel w/3-63A 240/415V sock.-3-63A breaker switches	5.159,09	6.294,09
RSW/563	4-U panel w/1-63A 240/415V plug.-1-63A breaker switch	3.487,58	4.254,84
S/1251-10	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 10m	276,92	337,84
S/1251-15	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 15m	328,72	401,04
S/1251-20	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 20m	380,52	464,23
S/1251-5	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 5m	225,12	274,65
S/1252-10	Power cable,32A-4H 250V 3-pin IP44 plug&sock, 10m	500,64	610,78
S/1252-15	Power cable,32A-4H 250V 3-pin IP44 plug&sock, 15m	633,64	773,04
S/1253-2,5	Power cable,16A-6H250V 3-pinIP44 sock-1 Speakon,2,5m	166,18	202,74
S/1254-10	Power cable, 16A-6H 415V, 5-pinIP67 plug&sock, 10m	366,24	446,81
S/1254-15	Power cable, 16A-6H 415V, 5-pinIP67 plug&sock, 15m	450,24	549,29
S/1255-10	Power cable 32A-6H 415V, 5-pinIP67 plug &sock, 10m	651,56	794,90
S/1255-15	Power cable 32A-6H 415V, 5-pinIP67 plug &sock, 15m	858,76	1.047,69
S/1256-10	Power cable 63A-6H 415V, 5-pinIP67 plug &sock, 10m	1.842,96	2.248,41
S/1256-15	Power cable 63A-6H 415V, 5-pinIP67 plug &sock, 15m	2.423,96	2.957,23
S/1300-10	Fireproof Power cable,w/4-16A/250V plugs&sockets, 10m	1.075,20	1.311,74
S/1300-15	Fireproof Power cable,w/4-16A/250V plugs&sockets, 15m	1.266,16	1.544,72
S/1301-1	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock., 1m	532,56	649,72
S/1301-10	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock.,10m	840,00	1.024,80
S/1301-15	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock., 15m	1.010,80	1.233,18
S/1302-1	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 1m	912,24	1.112,93
S/1302-10	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 10m	1.474,20	1.798,52
S/1302-15	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 15m	1.786,40	2.179,41
S/1303-1	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock.,1m	1.194,20	1.456,92
S/1303-10	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock,10m	1.501,64	1.832,00
S/1303-15	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock,15m	1.672,44	2.040,38
S/1304-1	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock.,1m	1.419,04	1.731,23
S/1304-10	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock,10m	1.981,00	2.416,82
S/1304-15	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock,15m	2.293,20	2.797,70
S/1305-1	Fire-proof "Power" cable with two ILME 10pin conn.,1m	350,84	428,02
S/1305-10	Fire-proof "Power" cable with two ILME 10pin conn.,10m	658,28	803,10
S/1305-20	Fire-proof "Power" cable with two ILME 10pin conn., 20m	999,88	1.219,85
S/1305-30	Fire-proof "Power" cable with two ILME 10pin conn.,30m	1.341,48	1.636,61
S/1305-40	Fire-proof "Power" cable with two ILME 10pin conn.,40m	1.683,08	2.053,36
S/1306-1	Fire-proof "Power" cable with two ILME 16pin conn.,1m	508,20	620,00
S/1306-10	Fire-proof "Power" cable with two ILME 16pin conn.,10m	1.070,16	1.305,60
S/1306-20	Fire-proof "Power" cable with two ILME 16pin conn., 20m	1.694,56	2.067,36

TAM

Model N°	Opis	VPC/kn	MPC/Kn
S/1306-30	Fire-proof "Power" cable with two ILME 16pin conn.,30m	2.318,96	2.829,13
S/1306-40	Fire-proof "Power" cable with two ILME 16pin conn.,40m	2.943,36	3.590,90
S/1307-10	Fire-proof "Power" cable with 2-Socapex 19pin conn.,10m	2.240,00	2.732,80
S/1307-20	Fire-proof "Power" cable with 2-Socapex 19pin conn.,20m	2.864,40	3.494,57
S/1307-30	Fire-proof "Power" cable with 2-Socapex 19pin conn.,30m	3.488,80	4.256,34
S/1307-40	Fire-proof "Power" cable with 2-Socapex 19pin conn.,40m	4.113,20	5.018,10
S/170	"Light-weight steel" tripod speaker stand (200cm) - BLACK	347,22	423,61
S/171 BK	"Aluminium" tripod speaker stand (183cm) - BLACK	317,42	387,25
S/172 BK	Steel speaker stand - BLACK	285,66	348,51
S/173 BK	"Alum." tripod speaker stand w/35/38mm reversible tube - BLACK	332,07	405,12
S/176 BK	3m high "Aluminium" tripod speaker stand - BLACK	510,00	622,20
S/191	8-par cans Aluminium lighting crossbar, 150cm - SILVER	267,94	326,89
S/191 BK	8-par cans Aluminium lighting crossbar, 150cm - BLACK	285,56	348,38
S/192	8-par cans Steel lighting crossbar, 150cm - BLACK	218,81	266,94
S/194	4-par cans/effects Steel lighting crossbar, 100cm - BLACK	147,95	180,50
S/195	8-par cans/effects Steel lighting crossbar, 100cm - BLACK	166,82	203,52
S/203	"Aluminium" double ended satellite tele.conneting tube - BLACK	200,58	244,71
S/213	"Aluminium" double ended satellite conneting tube - BLACK	63,55	77,53
S/226	"ALL-STEEL" Spot-Monitor/Amp stand (200cm) - BLACK	286,32	349,31
S/6	Prof. "Aluminium" tripod speaker stand (183cm) - SILVER	558,05	680,82
S/6 BK	Prof. "Aluminium" tripod speaker stand (183cm) - BLACK	595,78	726,85
S/9	"Aluminium" speaker/Lighting stand (307cm) - SILVER	669,28	816,52
S/9 BK	"Aluminium" speaker/Lighting stand (307cm) - BLACK	715,33	872,70
S/907	Lighting box, 6-16A/250V sockets/1-16pin Socopex conn.	1.383,04	1.687,31
S/91	"Aluminium" Lighting stand w/cross-bar(312cm) - SILVER	1.035,62	1.263,46
S/91 BK	"Alum."Lighting stand w/BLK cross-bar(312cm) - BLACK	1.077,34	1.314,36
S/92 BK	"Alum."Lighting std w/BLK steel cross-bar(312cm)-BLACK	1.010,59	1.232,92
S/941	8-wire"Alum."lighting bar w/1-16pin ILME connect.,150cm	1.283,04	1.565,31
S/942	4-wire"Alum."lighting bar w/1-16pin ILME connect.,150cm	1.019,22	1.243,44
S/943	8-sock, 16A-250V Alum. bar w/1-16pin ILME conn.,150cm	1.530,89	1.867,69
S/944	4-sock, 16A-250V Alum. bar w/1-16pin ILME conn.,150cm	1.143,17	1.394,67
S/945	4-wire"Alum."lighting bar w/2-10pin ILME connect.,150cm	1.267,02	1.545,77
S/946	8-wire"Alum."lighting bar w/2-10pin ILME connect.,150cm	1.714,77	2.092,02
S/947	Lighting bar, 8-sock.16A-250V & 1-16pin ILME con,1m	1.369,06	1.670,26
S/948	Lighting bar, 6-sock.16A-250V & 1-19pin Socapex,0,7m	1.615,31	1.970,68
S/949	Lighting bar, 4-sock.16A-250V & 1-16pin ILME con,1m	819,28	999,53
S/960	4-wire"Alum."lighting bar w/1-19pin Socapex con.,150cm	1.555,84	1.898,12
S/961	6-wire"Alum."lighting bar w/1-19pin Socapex con.,230cm	1.811,92	2.210,54
S/962	4-wire"Alum."lighting bar w/1-19pin Socapex con.,150cm	1.570,80	1.916,38
S/963	6-wire"Alum."lighting bar w/1-19pin Socapex con.,230cm	1.896,05	2.313,18
S/964	4-wire"Alum."lighting bar w/1-19pin ILME con.,150cm	998,98	1.218,75
S/965	6-wire"Alum."lighting bar w/1-19pin ILME con.,250cm	1.298,35	1.583,99
S/966	8-wire"Alum."lighting bar w/1-19pin ILME con.,250cm	1.492,83	1.821,26
SB/202	"Steel" twin-speaker metal crossbar (35mm) - BLK	158,69	193,60
SB/205	"Triangle-style"speaker wall mount w/35mm adapt.	203,97	248,85
SBG/14	Small slat wall GUITAR hanger w/double braced arms-Black	79,55	97,05
SBG/14L	Large slat wall GUITAR hanger w/double braced arms-Black	80,96	98,77
SBG/4	Small slat-wall hanger w/rotating & upraised forks -BLK	69,77	85,12
SBK/12	Angle TIERS (2) for slat wall application-Black	97,35	118,77
SBK/16	Angle TIERS (2) for slat wall application-Black	105,69	128,95
SBS/649	Large perforated SLAT WALL metal shelf	182,65	222,83
SBT/12	Angle TIERS (2) for slat wall application-Black	92,71	113,11
SBT/16	Angle TIERS (2) for slat wall application-Black	100,60	122,73
SC/206	"Steel" Speaker cup 35mm (3/8") - BLK	61,51	75,04
SC/208	"Steel" Speaker cup 38mm (1-1/2") - BLK	61,51	75,04
SC/217	"Plastic" 4-bolt speaker flange 35mm (3/8") - BLK	47,36	57,78
SC/218	"Plastic" 4-bolt speaker flange 38mm (1-1/2") - BLK	47,36	57,78
SC/235	"Aluminium" Speaker cup 35mm (3/8") - BLK	35,23	42,98
SC/236	"Aluminium" Speaker cup 25mm (1") - BLK	33,38	40,72
SL/MB AM	US thread telescopic mic boom- BLACK	117,17	142,95

TAM

Model N°	Opis	VPC/kn	MPC/Kn
SL/MB EU	EU thread telescopic mic boom- BLACK	117,17	142,95
SLS/13	"STEEL" crank-up Lighting/Truss stand (410cm) - BLK	2.833,60	3.456,99
SLS/8	"STEEL" crank-up tripod speaker stand (240cm) - BLK	1.478,40	1.803,65
SLS/9	"STEEL" crank-up Lighting/Truss stand (300cm) - BLK	2.235,20	2.726,94
SP/180	"Alumin."speaker stand w/air-cushion(183cm)-CHR	459,86	561,03
SP/180 Bk	"Alumin."speaker stand w/air-cushion(183cm)-BLK	486,75	593,84
SP/185	"Aluminium"std w/air-cushion/short legs(183cm -CHR	399,34	487,20
SP/185 BK	"Aluminium"std w/air-cushion/short legs(183cm) - BLK	425,04	518,55
SP/189	"Alum"speaker/Lighting std w/aircushion(296cm)-CHR	605,42	738,62
SP/189 BK	"Alum"speaker/Lighting std w/aircushion(296cm)-BLK	649,00	791,78
SP/190	"Alum." Lighting stand w/air-cushion(307cm) - CHR	738,47	900,93
SP/190 Bk	"Alum." Lighting stand w/air-cushion(307cm) - BLK	782,05	954,10
STS/12	Lighting system w/ 3m ladder truss+2 S/176	1.372,80	1.674,82
SW/001GR	Wood panel kit w/20T-style inserts&2 wall spacers	2.555,70	3.117,95
SW/002A	Aluminum inside border extrusion	695,38	848,36
SW/002C	Aluminum inside border extrusion	728,99	889,37
SW/002T	Aluminum panel border extrusion	536,27	654,25
SW/220L	Double braced slat-wall display hook - BLACK	47,70	58,19
SW/222L	Single braced slat-wall display hook - BLACK	47,70	58,19
SW/410	ACOUSTIC guitar slat-wall hanger - BLACK	185,43	226,22
SW/413	ELECTRIC guitar slat-wall hanger - BLACK	185,43	226,22
SW/600	Rotating slat-wall STRAPS display hanger	699,95	853,94
SW/601	slat-wall PRINTED LITERATURE holder	138,16	168,56
SW/602	Small CYMBALS slat-wall display hook - BLACK	56,32	68,71
SW/602L	Large CYMBALS slat-wall display hook - BLACK	56,32	68,71
SW/603	Slat-wall CABLE-REEL display hanger	99,97	121,96
SX/101	Single braced Knockdown keyboard stand - black	140,80	171,78
T/10 BK	T-reX single braced single tier keyb. std - BLACK	168,08	205,06
T/10 BK IC	T-reX single braced single tier keyb. std - BLACK	182,69	222,88
T/10 TI	T-reX single braced single tier keyb. std - Titanium	168,16	205,15
T/11	Single braced, single tier keyboard stand-BLACK	197,72	241,21
T/14 BK	Fixed-angle second tier add-on-BLK	191,15	233,20
T/14 MG	Fixed-angle second tier add-on-GRAY	191,15	233,20
T/15 BK	Adjustable second tier add-on-BLK	244,05	297,74
T/15 MG	Adjustable second tier add-on-gray	244,05	297,74
T/16 BK AM	US thread T-reX/Twist-lok telescopic boom-BLK	196,77	240,06
T/16 BK EU	EU thread T-reX/Twist-lok telescopic boom-BLK	196,77	240,06
T/16 MG AM	US thread T-reX/Twist-I telescopic boom-GREY	196,77	240,06
T/16 MG EU	EU thread T-reX/Twist-I telescopic boom-GREY	196,77	240,06
T/17 BK	Fully adjustable sheet music holder - BLACK	214,66	261,88
T/17 MG	Fully adjustable sheet music holder - GREY	214,66	261,88
T/20 BK	T-reX Dble braced single tier keyb. std - BLACK	220,88	269,47
T/20 BK IC	T-reX Dble braced single tier keyb. std - BLACK	240,94	293,95
T/20 TI	T-reX Dble braced single tier keyb. std - Titanium	220,88	269,47
T/21	Double-braced, single tier keyboard stand-BLACK	226,72	276,60
T/31	Double-braced, double tier keyboard stand-BLACK	310,09	378,31
T/68	T-reX single braced single tier keyboard stand w/lever open/close device - BLACK	182,16	222,24
T/68 IC	T-reX single braced single tier keyboard stand w/lever open/close device - BLACK - ind. Box	196,77	240,06
T/73	T-reX double braced single tier keyboard stand w/lever open/close device - BLACK	255,55	311,77
T/73 IC	T-reX double braced single tier keyboard stand w/lever open/close device - BLACK - ind. Box	270,16	329,60
T/8 BK	T-reX single braced & tier std w/adjust.arms-BLK	250,33	305,40
T/9	T-reX single braced single tier keyb. std - BLACK	147,31	179,72
THESP 01	Guitar picks display box - 2.000 picks in four assorted colors and thicknesses (0,60/0,75/0,85/1mm)	2.108,00	2.571,76
THSC 100	Guitar replacement picks - box of 500 picks - 1mm thickness - black	0,99	1,21
THSC 085	Guitar replacement picks - box of 500 picks - 0,85mm thickness - green	0,99	1,21
THSC 075	Guitar replacement picks - box of 500 picks - 0,75mm thickness - orange	0,99	1,21
THSC 060	Guitar replacement picks - box of 500 picks - 0,60mm thickness - yellow	0,99	1,21
VC/2	Mini-Mover two-wheel hand-truck	435,07	530,79
VFP/1-10	Control pedal with NORMALLY OPEN contacts	192,37	234,69
VFP/1-15	Control pedal with NORMALLY CLOSED contacts	192,37	234,69

TAM

Model N°	Opis	VPC/kn	MPC/Kn
VFP/1-25	Dual pedal w/normally OPEN or CLOSED contacts	256,00	312,32
VFP/2-10	DBL Control pedal w/ NORMALLY OPEN contacts	384,66	469,28
VFP/2-15	DBL Control pedal w/NORMALLY CLOSED contacts	399,12	486,92
VFP/3-10	TPL Control pedal w/ NORMALLY OPEN contacts	532,16	649,23
VFP/3-15	TPL Control pedal w/NORMALLY CLOSED contacts	532,16	649,23
VP/2	Volume pedal Casio with one ¼"stereo jack lead	167,75	204,65
VP/26	Volume pedal with one ¼"mono jack lead	133,04	162,31
VP/26 STEREO	Volume pedal with one ¼"stereo jack lead	167,75	204,65
VP/26-1P	Volume pedal with one ¼"mono jack lead & socket	143,20	174,71
VP/26-2P	Volume pedal with two ¼"mono sockets	143,20	174,71
VP/26-4P	Volume pedal with four ¼" sockets	172,79	210,80
VP/26-E	Volume pedal CV for Ensoniq & Roland keyboards	151,88	185,29
VP/26-F	Volume pedal CV for Fatar keyboards	151,88	185,29
VP/26-G	Volume pedal CV for Gem keyboards	151,88	185,29
VP/26-K	Volume pedal CV for Ketron keyboards	151,88	185,29
VP/26-Ku	Volume pedal CV for Kurzweil keyboards	151,88	185,29
VP/26-O	Volume pedal CV for Orla keyboards	151,88	185,29
VP/26-Sy	Volume pedal CV for Yamaha & Korg keyboards	151,88	185,29
VP/26-T	Volume pedal CV for Technics keyboards	151,88	185,29
VP/26-U	Universal volume pedal for keyboards	159,04	194,03
VP/26-Y	Volume pedal CV for Yamaha keyboards	151,88	185,29
WS/500	"SPIDER-Style" all steel modular Workstation system	3.053,85	3.725,70
WS/540	"SPIDER-Style" portable fully-adjustable mixer stand	582,73	710,93
WS/550	"SPIDER-Style" large speaker cabinets stand	606,40	739,81
WS/551	Small height adjustable utiliry shelf	326,39	398,20
WS/552	Large height adjustable utiliry shelf	369,34	450,59
WS/553	Dual width adjustable utiliry shelves	515,35	628,73
WS/554	Small fixed-angle perforated metal shelf	186,66	227,72
WS/561	Add-on vertical back spine for WS 550 stand	549,71	670,64
WS/562	Access. bar for WS 550 to hold Z 727, Z 729 & Z 730	171,78	209,58
Z/12	"Z" Adjust. height, single tier foldable keyb. Std- plain box	202,36	246,88
Z/14	"Z" Fixed height, single tier foldable keyb. Std- plain box	232,81	284,03
Z/2	PRO "Zeenith" fully adjust. ADD-ON tier for Z 72-BLACK	558,10	680,89
Z/2 TI	PRO "Zeenith" fully adjust. Add-on tier for Z 72-TITANIUM	580,80	708,58
Z/250 BK CY	Dual level workstation w/cherry top and shelves - BLACK frame	1.937,27	2.363,46
Z/250 BK GR	Dual level workstation w/dove grey top and shelves - BLACK frame	1.937,27	2.363,46
Z/260 BK CY	Dual level workstation w/contoured cherry top and shelves - BLACK frame	2.094,40	2.555,17
Z/260 TI BK	Dual level workstation w/contoured black top & shelves - TITANIUM frame	2.094,40	2.555,17
Z/502	"Pro-Z Stage" adjustable heavy-duty 2-tier stand	1.431,62	1.746,57
Z/555	Music Project station 139,5cm wide	1.817,20	2.216,98
Z/600	Dual-level project desk system w/Cherry tops and 10U rack holder - BLACK	3.660,80	4.466,18
Z/612 AM	EU thread 12-U rack stand w/Cherrywood finish-Z/600 - BLACK	1.513,60	1.846,59
Z/612 EU	US thread 12-U rack stand w/Cherrywood finish-Z/600 - BLACK	1.513,60	1.846,59
Z/709	Computer CPU unit holder	203,97	248,85
Z/71	Pro "Zeenith" rapid set-up single tier keyboard std-BLK	1.118,03	1.363,99
Z/71 TI	Pro "Zeenith" rapid set-up, keyboard std - TITANIUM	1.152,80	1.406,42
Z/710 BK	Optional laminated formica shelf - Dove grey finish	464,36	566,52
Z/710 BK/CY	Optional laminated formica shelf - Cherry finish	464,36	566,52
Z/711	ADD-ON perforated metal shelf	193,73	236,35
Z/712	Laminated formica sliding computer keyboard shelf KIT - Dove grey finish	491,39	599,49
Z/712-44	EXTRA-WIDE sliding keyboard computer shelf - Dove grey finish	556,29	678,67
Z/712-55	EXTRA-WIDE sliding keyboard computer shelf - Dove grey finish	621,19	757,85
Z/712 BK/CY	Laminated formica sliding computer keyboard shelf KIT - Cherry finish	491,39	599,49
Z/714	Laminated formica shelf attachment	372,85	454,88
Z/715	Single tier, fixed height "Z" style keyboard stand	524,29	639,63
Z/716	Single tier, adjustable height Z style keyboard stand	683,66	834,07
Z/716L	Single tier, extra-wide adjust. height Z style keyb. Std.	683,66	834,07
Z/72	Pro "Zeenith" rapid set-up dbl tier keyb std- BLK	1.676,13	2.044,88
Z/72 TI	Pro "Zeenith" rapid set-up dbl tier keyb std- TITANIUM	1.742,40	2.125,73
Z/720	Accessory crossbar for Z 715 or Z 716	181,72	221,70

TAM

Model N°	Opis	VPC/kn	MPC/Kn
ZI720-L	Accessory crossbar for Z 716 L	181,72	221,70
ZI722	Single tier, adjust. height "Z" style keyboard stand	737,51	899,77
ZI722-L	Single tier,Extra-Wide adjust.height "Z" keyb. Std.	737,51	899,77
ZI725	Double tier, fixed height "Z" style keyboard stand	1.142,36	1.393,68
ZI726	Double tier, height adjustable Z style keyboard stand	1.314,15	1.603,26
ZI726 L	Double tier, Extra-Wide height adjust.Zstyle Keyb.std	1.314,15	1.603,26
ZI727	Fully adjust. ADD-ON tier for Z 715, Z 716 & Z 716 L	484,39	590,96
ZI728 AM	Fully adjustable US thread mic boom attachment	264,75	323,00
ZI728 EU	Fully adjustable EU thread mic boom attachment	264,75	323,00
ZI729	3-page sheet music holder	369,54	450,84
ZI730	Fully adjustable Locator option	617,59	753,46
ZI731	Height adjustable utility shelf	301,79	368,18
ZI732	2-Page sheet music holder attachment	305,68	372,93
ZI733	Utility tray for metal structure DJ 755	206,80	252,30
ZI750L	Music workstation w/ 45° left-angle main shelf	2.102,76	2.565,37
ZI750R	Music workstation w/ 45° right-angle main shelf	2.102,76	2.565,37
ZI760	Workstation w/right-angle rectangle shelf and height-adjustable top shelf	2.239,05	2.731,64
ZWS71L AM	US rack rail "Z" style stand workstation	2.642,36	3.223,68
ZWS71L EU	EU rack rail "Z"style stand workstation	2.642,36	3.223,68
ZJ755	Complete PERFORMANCE DJ metal structure	3.080,70	3.758,46
ZM/2025	MIXING CONSOLE STAND for units 66 to 89cm wide	541,17	660,23
ZM/2034	MIXING CONSOLE STAND for units 89 to 117cm wide	559,04	682,03
ZM/2044	MIXING CONSOLE STAND for units 117 to 145cm wide	575,92	702,63
ZM/2055	MIXING CONSOLE STAND for units 145 to 203cm wide	767,12	935,88
ZM/25	Optional ADD-ON CROSSBAR for ZM 2025	170,36	207,84
ZM/34	Optional ADD-ON CROSSBAR for ZM 2034	186,59	227,64
ZM/44	Optional ADD-ON CROSSBAR for ZM 2044	194,70	237,53
ZM/55	Optional ADD-ON crossbar for ZM 97 & ZM 2055	210,93	257,33
ZM/90 AM	A/C power strip holders	81,13	98,97
ZM/90 EU	EU rack rail, A/C power strip holder	81,13	98,97
ZM/91 AM	US rack rail, 6-Space rack equipment holder	228,47	278,74
ZM/91 EU	EU rack rail, 6-Space rack equipment holder	228,47	278,74
ZM/93 AM	US rack rail, 4-Space rack equipment holder	214,73	261,97
ZM/93 EU	EU rack rail, 4-Space rack equipment holder	214,73	261,97
ZM/94 AM	US rack rail, 4-Space rack equipment holder	210,52	256,83
ZM/94 EU	EU rack rail, 4-Space rack equipment holder	210,52	256,83
ZM/97	Tilt and Width adjustable tier set	241,06	294,09
ZM/97L	Long tilt and Width adjustable tier set	262,42	320,15
ZM/99	"Z" stand caster kit	85,89	104,79
ZM/WS25	MIXER workstation for units 66-89cm wide	1.583,56	1.931,94
ZM/WS34	MIXER workstation for units 89-117cm wide	2.086,07	2.545,01
ZM/WS44	MIXER workstation for units 117-145cm wide	2.350,31	2.867,38
ZMX/25	Expansion kit with monitor shelves & crossbar for ZM 2025	718,44	876,50
ZMX/34	Expansion kit with monitor shelves & crossbar for ZM 2034	734,99	896,69
ZMX/44	Expansion kit with monitor shelves & crossbar for ZM 2044	745,21	909,16
ZMX/55	Expansion kit with monitor shelves & crossbar for ZM 2055	763,71	931,73

Rainbow music int.

Pavučnjak 66g Tel: 01/6288-115
10450 Jastrebarsko Fax: 01/6289-245

MPM			
Model N°	Opis	VPC/kn	MPC/kn
AD/10-3	Cable- RCA phono plug to RCA phono plug -3m	24,96	30,45
AD/11-3	Cable- ¼" stereo plug to ¼" stereo jack -3m	60,07	73,29
AD/12-3	Cable-¼" stereo plug to 2 RCA phono plugs -3m	35,78	43,65
AD/12-3 K	Adaptor lead - _" stereo plug to 2 RCA phono plugs -3m long	26,19	31,96
AD/12-5	Adaptor lead - _" stereo plug to 2 RCA phono plugs -5m long	42,89	52,32
AD/12-5 K	Adaptor lead - _" stereo plug to 2 RCA phono plugs -5m long	38,51	46,98
AD/13-10	Adaptor lead - two _" mono plugs to two RCA phono plug-10m long	68,67	83,78
AD/13-13	Adaptor lead - two _" mono plugs to two RCA phono plug-13m long	79,08	96,48
AD/13-3	Adaptor lead - two _" mono plugs to two RCA phono plug -3m long	42,14	51,41
AD/13-3 K	Adaptor lead - two _" mono plugs to two RCA phono plug -3m long	30,82	37,60
AD/13-5	Adaptor lead - two _" mono plugs to two RCA phono plug -5m long	49,25	60,08
AD/13-5 K	Adaptor lead - two _" mono plugs to two RCA phono plug -5m long	42,56	51,92
AD/13-7	Adaptor lead - two _" mono plugs to two RCA phono plug -7m long	56,19	68,55
AD/14-3	Adaptor lead - _" mono jack to RCA mono plug -3m long	41,23	50,31
AD/15-3	Adaptor lead - _" mono plug to RCA phono plug -3m long	27,19	33,17
AD/15-3 K	Adaptor lead - _" mono plug to RCA phono plug -3m long	14,05	17,14
AD/15-5	Adaptor lead - _" mono plug to RCA phono plug -5m long	32,97	40,22
AD/15-5 K	Adaptor lead - _" mono plug to RCA phono plug -5m long	19,42	23,69
AD/16	Moulded adaptor - 3,5mm stereo plug to _" stereo jack	4,63	5,65
AD/17	Moulded adaptor - 3,5mm mono plug to _" stereo jack	4,46	5,44
AD/18	Moulded adaptor - 3,5mm mono plug to _" mono jack	4,46	5,44
AD/19	Moulded adaptor - 3,5mm mono plug to 3,5mm mono jack	4,63	5,65
AD/20	Moulded "Y" box adaptor - 3,5mm stereo plug to two 3,5mm stereo jack	5,21	6,35
AD/2-0,3	Adaptor lead - _" mono plug to two _" mono jacks -0.3m long	65,11	79,44
AD/21	Moulded adaptor - _" stereo plug to 3,5mm stereo jack	4,46	5,44
AD/22	Moulded adaptor - _" mono plug to 3,5mm stereo jack	4,21	5,14
AD/23	Moulded "Y" box adaptor - _" stereo plug to two 3,5mm stereo jacks	7,27	8,87
AD/24	Moulded adaptor - RCA phono plug to 3,5mm mono jack	4,63	5,65
AD/25	Moulded adaptor - 3,5mm mono plug to RCA phono jack	3,80	4,64
AD/26-3	Adaptor lead - _" stereo jack to 3-pin male XLR -3m long	53,88	65,73
AD/265	Moulded adaptor - _" mono plug to _" stereo jack	4,63	5,65
AD/266	Moulded "Y" box adaptor - 3,5mm stereo plug to two _" stereo jacks	6,69	8,17
AD/267	Moulded "Y" box adaptor - 3,5mm stereo plug to two 3,5mm stereo jacks	7,35	8,97
AD/270	Moulded "Y" box adaptor - RCA phono plug to two RCA phono sockets	5,54	6,75
AD/271	Moulded "Y" box adaptor - _" mono plug to two RCA phono sockets	6,78	8,27
AD/272	Moulded "Y" box adaptor - _" stereo plug to two RCA phono sockets	7,11	8,67
AD/273	Moulded "Y" box adaptor - 3,5mm stereo plug to two RCA phono sockets	5,54	6,75
AD/274	Moulded "Y" box adaptor - 3,5mm mono plug to two RCA phono sockets	5,95	7,26
AD/28-3	Adaptor lead - _" stereo jack to 3-pin female XLR -3m long	54,79	66,84
AD/3-0,3	Adaptor lead - _ mono jack to two _" mono plugs -0.3m long	56,03	68,35
AD/30-3	Adaptor lead - two _" mono plugs to 3,5mm stereo plug -3m long	55,94	68,25
AD/30-3 K	Adaptor lead - two _" mono plugs to 3,5mm stereo plug -3m long	29,09	35,49
AD/31-3	Adaptor lead - _" stereo plug to 3,5mm stereo plug -3m long	44,37	54,14
AD/33-3	Adaptor lead - _" stereo plug to _" stereo plug -3m long	34,79	42,44
AD/33-5	Adaptor lead - _" stereo plug to _" stereo plug -5m long	43,38	52,93
AD/35-3	Adaptor lead - _" stereo plug to two 3,5mm mono plugs -3m long	51,98	63,41
AD/40-3	Adaptor lead - 3,5mm stereo plug to two RCA phono plugs -3m long	38,67	47,18
AD/40-3 K	Adaptor lead - 3,5mm stereo plug to two RCA phono plugs -3m long	25,04	30,55
AD/41-3	Adaptor lead - RCA phono plug to RCA phono socket -3m long	24,96	30,45
AD/4-2,5	Adaptor lead - _" stereo plug to two _" mono plugs -2.5m long	38,59	47,08
AD/4-2,5K	Adaptor lead - _" stereo plug to two _" mono plugs -2.5m long	32,56	39,72

MPM			
Model N°	Opis	VPC/kn	MPC/kn
AD/42-3	Adaptor lead - 3,5mm stereo plug to RCA phono plug -3m long	28,43	34,68
AD/43-3	Adaptor lead - _" mono plug to two RCA phono plugs -3m long	35,95	43,85
AD/43-3 K	Adaptor lead - _" mono plug to two RCA phono plugs -3m long	25,62	31,25
AD/43-5	Adaptor lead - _" mono plug to two RCA phono plugs -5m long	43,05	52,52
AD/43-5 K	Adaptor lead - _" mono plug to two RCA phono plugs -5m long	37,93	46,27
AD/4-5	Adaptor lead - _" stereo plug to two _" mono plugs -5m long	47,35	57,77
AD/4-5 K	Adaptor lead - _" stereo plug to two _" mono plugs -5m long	45,45	55,45
AD/48-3	Adaptor lead - RCA phono plug to 3-pin female XLR -3m long	38,59	47,08
AD/49-1,5	Adaptor lead - four RCA phono plugs to four RCA phono plugs -1,5m long	49,58	60,49
AD/5-0,3	Adaptor lead - _" stereo jack to two _" stereo plugs -0,3m long	73,87	90,13
AD/50-0,3	Adaptor lead - _" stereo jack to two phono RCA phono plugs -0,3m long	40,24	49,10
AD/51-3	Adaptor lead - RCA phono plug to two phono RCA phono plugs -3m long	33,71	41,13
AD/52-3	Adaptor lead - RCA phono plug to 3-pin male XLR -3m long	37,76	46,07
AD/55-1,5	Adaptor lead - two RCA phono plugs to two RCA phono sockets -1,5m	32,06	39,12
AD/55-5	Adaptor lead - two RCA phono plugs to two RCA phono socket -5m long	44,79	54,64
AD/56-0,3	Adaptor lead - RCA phono plug to two RCA phono socket -30cm long	24,79	30,24
AD/59	Moulded adaptor - _" mono plug to RCA phono socket	3,64	4,44
AD/6-0,3	Adaptor lead - _" stereo plug to two _" stereo jacks -0,3m long	78,34	95,57
AD/63-3	Adaptor lead - 5-pin DIN male connect. to 5-pin DIN female connec.-3m	51,89	63,31
AD/63-3 K	Adaptor lead - 5-pin DIN male connect. to 5-pin DIN female connec.-3m	19,83	24,19
AD/64-2,5	Adaptor lead - _" mono plug to two _" mono plugs -2,5m long	38,75	47,28
AD/66	Moulded adaptor - _" mono plug to RCA phono plug	5,12	6,25
AD/69	Moulded adaptor - _" mono plug to 3,5mm mono plug	4,21	5,14
AD/70	Moulded adaptor - _" mono jack to RCA phono socket	12,73	15,53
AD/72	Moulded "Y" box adaptor - _" mono plug to two _" mono jacks	6,94	8,47
AD/7-3	Adaptor lead - _" mono plug to _" mono jack -3m long	52,72	64,32
AD/74	Moulded "coupler" - RCA phono plugs both ends	4,63	5,65
AD/75	Moulded "coupler" - RCA phono sockets both ends	3,80	4,64
AD/7-5	Adaptor lead - _" mono plug to _" mono jack -5m long	58,50	71,38
AD/76	Moulded "Y" box adaptor - _" stereo plug to two _" stereo jacks	7,27	8,87
AD/77	Moulded"coupler"- 5-pin DIN female connect. to 5-pin DIN female connector	14,30	17,44
AD/78-2,5	Adaptor lead - two _" mono plugs to two _" mono plugs -2,5m long	44,95	54,84
AD/79-2	Adaptor lead - two RCA phono plugs to two RCA phono plugs - 2m long	64,87	79,14
AD/79-5	Adaptor lead - two RCA phono plugs to two RCA phono plugs - 5m long	86,27	105,25
AD/8-3	Adaptor lead - _" mono plug to 3,5mm mono plug -3m long	35,37	43,15
AD/84-3	Professional Stereo lead with _" stereo plug to _" stereo plug - 3m long	58,09	70,87
AD/84-5	Professional Stereo lead with _" stereo plug to _" stereo plug - 5m long	80,65	98,39
AD/8-5	Adaptor lead - _" mono plug to 3,5mm mono plug -5m long	41,15	50,20
AD/9-2	Adaptor lead - 2 RCA phono plugs to 2 RCA phono plugs -2m long	34,21	41,74
AD/9-2 K	Adaptor lead - 2 RCA phono plugs to 2 RCA phono plugs -2m long	19,25	23,49
AD/9-5	Adaptor lead - 2 RCA phono plugs to 2 RCA phono plugs -5m long	40,41	49,30
AD/9-5 K	Adaptor lead - 2 RCA phono plugs to 2 RCA phono plugs -5m long	37,35	45,57
AUD/934	Active DI BOX - 1 Channel	416,16	507,72
AUD/935	Active DI BOX - 8 Channels - Rack System	1.706,72	2.082,20
AUD/936	Active Splitter - 4 Channels - Rack System	1.230,40	1.501,09
AUD/937	Active Stage Box - 24 Channels - Rack System	8.400,00	10.248,00
AVFE260	Multipair Audfio cable metal drum - small size	1.152,00	1.405,44
AVFE350	Multipair Audfio cable metal drum - medium size	1.228,80	1.499,14
AVFE500	Multipair Audfio cable metal drum on wheels - large size	1.484,80	1.811,46
AVPL001	Empty cable drum	255,96	312,27
AVPL100	Assembled cable drum	1.025,27	1.250,83
AVPL101	Assembled cable drum	1.320,27	1.610,73

MPM			
Model N°	Opis	VPC/kn	MPC/kn
AVPL102	Assembled cable drum	1.025,41	1.251,01
AVPL103	Assembled cable drum	1.320,42	1.610,91
AVPL104	Assembled cable drum	1.020,01	1.244,41
AVPL105	Assembled cable drum	1.315,01	1.604,31
AVPL106	Assembled cable drum	1.707,41	2.083,05
AVPL107	Assembled cable drum	2.123,89	2.591,14
AVPL108	Assembled cable drum	1.146,91	1.399,24
AVPL109	Assembled cable drum	1.563,39	1.907,33
AVPL110	Assembled cable drum	1.713,98	2.091,06
AVPL111	Assembled cable drum	2.130,45	2.599,15
AVPL112	Assembled cable drum	1.146,89	1.399,20
AVPL113	Assembled cable drum	1.563,36	1.907,29
BC/414	SOCAPEX gold-plated 19pin panel mount socket	640,36	781,24
BC/415	SOCAPEX gold-plated 19pin panel mount plug	656,60	801,05
BC/416	SOCAPEX gold-plated 19pin cable mount socket	711,76	868,35
BC/417	SOCAPEX gold-plated 19pin cable mount plug	806,96	984,49
BC/418	ILME silver-plated 6pin panel mount plug	122,08	148,94
BC/419	ILME silver-plated 10pin panel mount plug	150,36	183,44
BC/420	ILME silver-plated 16pin panel mount plug	170,52	208,03
BC/421	ILME silver-plated 24pin panel mount plug	197,68	241,17
BC/422	ILME silver-plated 6pin cable mount plug	97,72	119,22
BC/423	ILME silver-plated 10pin cable mount plug	117,88	143,81
BC/424	ILME silver-plated 16pin cable mount plug	148,68	181,39
BC/426	ILME silver-plated 24pin cable mount plug	183,12	223,41
BC/427	ILME silver-plated 6pin panel mount socket	122,92	149,96
BC/428	ILME silver-plated 10pin panel mount socket	152,04	185,49
BC/442	ILME silver-plated 16pin panel mount socket	175,00	213,50
BC/443	ILME silver-plated 24pin panel mount socket	204,12	249,03
BC/444	ILME silver-plated 6pin cable mount socket	98,56	120,24
BC/445	ILME silver-plated 10pin cable mount socket	119,56	145,86
BC/446	ILME silver-plated 16pin cable mount socket	153,16	186,86
BC/447	ILME silver-plated 24pin cable mount socket	189,56	231,26
BC-473	Multipin connectors	484,48	591,07
BC-479	Multipin connectors	504,00	614,88
BC-480	Multipin connectors	288,48	351,95
BC-481	Multipin connectors	532,00	649,04
BC-482	Multipin connectors	504,00	614,88
BC-483	Multipin connectors	546,08	666,22
BC-484	Multipin connectors	280,00	341,60
BC-485	Multipin connectors	523,68	638,89
BC-486	Multipin connectors	316,48	386,11
BC-487	Multipin connectors	560,00	683,20
BC-488	Multipin connectors	532,00	649,04
BC-489	Multipin connectors	624,48	761,87
BC-491	Multipin connectors	728,00	888,16
BC-492	Multipin connectors	756,00	922,32
BC-493	Multipin connectors	420,00	512,40
BC-494	Multipin connectors	737,76	900,07
BC-495	Multipin connectors	723,84	883,08
BC-496	Multipin connectors	737,76	900,07
BC-497	Multipin connectors	434,08	529,58
BC-498	Multipin connectors	765,76	934,23

MPM			
Model N°	Opis	VPC/kn	MPC/kn
BCE/004	Panel socket, 16A 6H 200/250V 3-pin IP44	48,44	59,10
BCE/005	Panel socket, 32A 6H 200/250V 3-pin IP44	70,28	85,74
BCE/006	Panel socket, 63A 6H 200/250V 3-pin IP44	222,32	271,23
BCE/007	Inline cable socket, 16A 6H 200/250V 3-pin IP44	48,44	59,10
BCE/008	Inline cable socket, 32A 6H 200/250V 3-pin IP44	75,88	92,57
BCE/009	Inline cable socket, 63A6H 200/250V 3-pin IP44	279,72	341,26
BCE/010	Inline cable socket, 16A 6H 200/250V 3-pin IP67	81,20	99,06
BCE/011	Inline cable socket, 32A 6H 200/250V 3-pin IP67	114,24	139,37
BCE/012	Inline cable socket, 63A 6H 200/250V 3-pin IP67	279,72	341,26
BCE/013	Inline cable plug, 16A 6H 200/250V 3-pin IP44	31,08	37,92
BCE/014	Inline cable plug, 32A 6H 200/250V 3-pin IP44	53,76	65,59
BCE/015	Inline cable plug, 63A 6H 200/250V 3-pin IP44	254,80	310,86
BCE/016	Inline cable plug, 16A 6H 200/250V 3-pin IP67	61,32	74,81
BCE/017	Inline cable plug, 32A 6H 200/250V 3-pin IP67	89,60	109,31
BCE/018	Inline cable plug, 63A 6H 200/250V 3-pin IP67	249,76	304,71
BCE/019	Angle panel plug, 16A 6H 200/250V 3-pin IP67	73,08	89,16
BCE/020	Angle panel plug, 32A 6H 200/250V 3-pin IP67	101,36	123,66
BCE/022	Panel sock., 16A 6H 200//346 240/415V 5-pin IP67	73,36	89,50
BCE/023	Panel sock., 32A 6H 200//346 240/415V 5-pin IP67	99,40	121,27
BCE/024	Panel sock., 63A 6H 200//346 240/415V 5-pin IP67	261,24	318,71
BCE/025	Panel sock., 16A 6H 200//346 240/415V 5-pin IP44	70,28	85,74
BCE/026	Panel sock., 32A 6H 200//346 240/415V 5-pin IP44	90,44	110,34
BCE/027	Panel sock., 63A 6H 200//346 240/415V 5-pin IP44	313,04	381,91
BCE/028	Cable plug., 16A 6H 200//346 240/415V 5-pin IP44	44,24	53,97
BCE/029	Cable plug., 32A 6H 200//346 240/415V 5-pin IP44	63,00	76,86
BCE/030	Cable plug., 63A 6H 200//346 240/415V 5-pin IP44	284,20	346,72
BCE/031	Panel plug, 16A 6H 200/346 240/415V 5-pin IP67	95,76	116,83
BCE/032	Panel plug, 32A 6H 200/346 240/415V 5-pin IP67	121,52	148,25
BCE/033	Panel plug, 63A 6H 200/346 240/415V 5-pin IP67	350,56	427,68
BCE-792	Multipin 3-pin socket connector, 16A-6h-200/250W -P+T IP144	62,40	76,13
BCE-793	Multipin 3-pin male connector, 16A-6h-200/250W -P+T IP144	37,76	46,07
BF-421	Plastic skin top	22,64	27,62
BF-422	Plastic skin top	50,57	61,70
BF-423	Plastic skin top	202,45	246,99
BF-424	Plastic skin top	43,38	52,93
BF-425	Plastic skin top	11,80	14,40
BF-426	Plastic skin top	17,53	21,38
BF-427	Plastic skin top	28,98	35,35
BOX100	Stage box audio system "CMA" series	885,69	1.080,55
BOX101	Stage box audio system "CMA" series	1.180,69	1.440,45
BOX102	Stage box audio system "CMA" series	885,67	1.080,51
BOX103	Stage box audio system "CMA" series	1.180,67	1.440,41
BOX104	Stage box audio system "CMA" series	880,26	1.073,91
BOX105	Stage box audio system "CMA" series	1.175,26	1.433,81
BOX106	Stage box audio system "CMA" series	1.724,38	2.103,74
BOX107	Stage box audio system "CMA" series	2.166,88	2.643,59
BOX108	Stage box audio system "CMA" series	1.724,32	2.103,67
BOX109	Stage box audio system "CMA" series	2.166,82	2.643,52
BOX110	Stage box audio system "CMA" series	1.703,21	2.077,91
BOX111	Stage box audio system "CMA" series	2.145,71	2.617,76
BOX112	Stage box audio system "CMA" series	2.164,56	2.640,77
BOX113	Stage box audio system "CMA" series	2.754,56	3.360,57

MPM			
Model N°	Opis	VPC/kn	MPC/kn
BOX114	Stage box audio system "CMA" series	2.164,51	2.640,70
BOX115	Stage box audio system "CMA" series	2.754,51	3.360,50
BOX116	Stage box audio system "CMA" series	2.176,83	2.655,73
BOX117	Stage box audio system "CMA" series	2.766,83	3.375,53
BOX118	Stage box audio system "CMA" series	3.150,04	3.843,05
BOX119	Stage box audio system "CMA" series	4.035,04	4.922,75
BOX120	Stage box audio system "CMA" series	3.149,98	3.842,98
BOX121	Stage box audio system "CMA" series	4.034,98	4.922,68
BOX122	Stage box audio system "CMA" series	4.136,90	5.047,02
BOX123	Stage box audio system "CMA" series	5.316,90	6.486,62
BOX124	Stage box audio system "CMA" series	6.496,90	7.926,22
BOX125	Stage box audio system "CMA" series	6.598,88	8.050,63
BOX126	Stage box audio system "CMA" series	8.073,88	9.850,13
BOX127	Stage box audio system "CMA" series	9.548,88	11.649,63
BOX128	Stage box audio system "CMA" series	1.102,20	1.344,69
BOX129	Stage box audio system "CMA" series	1.397,20	1.704,59
BOX130	Stage box audio system "CMA" series	1.102,17	1.344,65
BOX131	Stage box audio system "CMA" series	1.397,17	1.704,55
BOX132	Stage box audio system "CMA" series	2.051,83	2.503,23
BOX133	Stage box audio system "CMA" series	2.494,33	3.043,08
BOX134	Stage box audio system "CMA" series	2.051,77	2.503,16
BOX135	Stage box audio system "CMA" series	2.494,27	3.043,01
BOX136	Stage box audio system "CMA" series	2.596,13	3.167,28
BOX137	Stage box audio system "CMA" series	3.186,13	3.887,08
BOX138	Stage box audio system "CMA" series	2.596,07	3.167,21
BOX139	Stage box audio system "CMA" series	3.186,07	3.887,01
BOX140	Stage box audio system "CMA" series	3.644,71	4.446,55
BOX141	Stage box audio system "CMA" series	4.529,71	5.526,25
BOX142	Stage box audio system "CMA" series	3.644,65	4.446,48
BOX143	Stage box audio system "CMA" series	4.529,66	5.526,18
BOX144	Stage box audio system "CMA" series	4.830,21	5.892,85
BOX145	Stage box audio system "CMA" series	6.010,21	7.332,46
BOX146	Stage box audio system "CMA" series	7.190,21	8.772,06
BOX147	Stage box audio system "CMA" series	7.391,04	9.017,07
BOX148	Stage box audio system "CMA" series	8.866,04	10.816,57
BOX149	Stage box audio system "CMA" series	10.341,04	12.616,07
BOX200	Stage box audio system "CMF" series	1.007,17	1.228,74
BOX201	Stage box audio system "CMF" series	1.567,67	1.912,55
BOX202	Stage box audio system "CMF" series	1.423,64	1.736,84
BOX203	Stage box audio system "CMF" series	1.984,14	2.420,65
BOX204	Stage box audio system "CMF" series	1.007,14	1.228,71
BOX205	Stage box audio system "CMF" series	1.574,23	1.920,56
BOX206	Stage box audio system "CMF" series	1.423,61	1.736,80
BOX207	Stage box audio system "CMF" series	1.990,70	2.428,66
BOX208	Stage box audio system "CMF" series	2.094,52	2.555,31
BOX209	Stage box audio system "CMF" series	2.935,27	3.581,02
BOX210	Stage box audio system "CMF" series	2.719,22	3.317,45
BOX211	Stage box audio system "CMF" series	3.559,97	4.343,17
BOX212	Stage box audio system "CMF" series	2.094,46	2.555,24
BOX213	Stage box audio system "CMF" series	2.948,40	3.597,04
BOX214	Stage box audio system "CMF" series	2.719,16	3.317,38
BOX215	Stage box audio system "CMF" series	3.573,10	4.359,19

MPM			
Model N°	Opis	VPC/kn	MPC/kn
BOX216	Stage box audio system "CMF" series	2.656,17	3.240,53
BOX217	Stage box audio system "CMF" series	3.777,17	4.608,15
BOX218	Stage box audio system "CMF" series	3.489,11	4.256,72
BOX219	Stage box audio system "CMF" series	4.610,12	5.624,34
BOX220	Stage box audio system "CMF" series	2.656,12	3.240,46
BOX221	Stage box audio system "CMF" series	3.790,30	4.624,17
BOX222	Stage box audio system "CMF" series	3.489,06	4.256,65
BOX223	Stage box audio system "CMF" series	4.623,25	5.640,36
BOX224	Stage box audio system "CMF" series	3.890,31	4.746,18
BOX225	Stage box audio system "CMF" series	5.571,82	6.797,62
BOX226	Stage box audio system "CMF" series	5.139,73	6.270,47
BOX227	Stage box audio system "CMF" series	6.821,23	8.321,90
BOX228	Stage box audio system "CMF" series	3.890,26	4.746,11
BOX229	Stage box audio system "CMF" series	5.584,95	6.813,63
BOX230	Stage box audio system "CMF" series	5.139,67	6.270,40
BOX231	Stage box audio system "CMF" series	6.834,36	8.337,92
BOX232	Stage box audio system "CMF" series	5.120,12	6.246,54
BOX233	Stage box audio system "CMF" series	7.388,50	9.013,97
BOX234	Stage box audio system "CMF" series	6.786,00	8.278,92
BOX235	Stage box audio system "CMF" series	9.054,38	11.046,34
BOX236	Stage box audio system "CMF" series	8.451,89	10.311,30
BOX237	Stage box audio system "CMF" series	10.720,26	13.078,72
BOX238	Stage box audio system "CMF" series	8.432,39	10.287,52
BOX239	Stage box audio system "CMF" series	11.261,27	13.738,75
BOX240	Stage box audio system "CMF" series	10.514,75	12.827,99
BOX241	Stage box audio system "CMF" series	13.343,62	16.279,22
BOX242	Stage box audio system "CMF" series	12.597,10	15.368,46
BOX243	Stage box audio system "CMF" series	15.425,98	18.819,69
BOX244	Stage box audio system "CMF" series	1.223,67	1.492,88
BOX245	Stage box audio system "CMF" series	1.784,17	2.176,69
BOX246	Stage box audio system "CMF" series	1.640,14	2.000,97
BOX247	Stage box audio system "CMF" series	2.200,64	2.684,79
BOX248	Stage box audio system "CMF" series	1.223,64	1.492,84
BOX249	Stage box audio system "CMF" series	1.790,74	2.184,70
BOX250	Stage box audio system "CMF" series	1.640,11	2.000,94
BOX251	Stage box audio system "CMF" series	2.207,21	2.692,79
BOX252	Stage box audio system "CMF" series	2.416,24	2.947,81
BOX253	Stage box audio system "CMF" series	3.262,72	3.980,51
BOX254	Stage box audio system "CMF" series	3.046,67	3.716,94
BOX255	Stage box audio system "CMF" series	3.887,42	4.742,66
BOX256	Stage box audio system "CMF" series	2.421,91	2.954,73
BOX257	Stage box audio system "CMF" series	3.275,85	3.996,53
BOX258	Stage box audio system "CMF" series	3.046,61	3.716,87
BOX259	Stage box audio system "CMF" series	3.900,55	4.758,67
BOX260	Stage box audio system "CMF" series	3.087,74	3.767,04
BOX261	Stage box audio system "CMF" series	4.208,74	5.134,66
BOX262	Stage box audio system "CMF" series	3.920,68	4.783,23
BOX263	Stage box audio system "CMF" series	5.041,68	6.150,85
BOX264	Stage box audio system "CMF" series	3.087,68	3.766,97
BOX265	Stage box audio system "CMF" series	4.221,87	5.150,68
BOX266	Stage box audio system "CMF" series	3.920,62	4.783,16
BOX267	Stage box audio system "CMF" series	5.057,71	6.170,40

MPM			
Model N°	Opis	VPC/kn	MPC/kn
BOX268	Stage box audio system "CMF" series	4.384,99	5.349,69
BOX269	Stage box audio system "CMF" series	6.066,49	7.401,12
BOX270	Stage box audio system "CMF" series	5.634,40	6.873,97
BOX271	Stage box audio system "CMF" series	7.315,90	8.925,40
BOX272	Stage box audio system "CMF" series	4.384,93	5.349,62
BOX273	Stage box audio system "CMF" series	6.079,62	7.417,14
BOX274	Stage box audio system "CMF" series	5.634,34	6.873,90
BOX275	Stage box audio system "CMF" series	7.329,03	8.941,42
BOX276	Stage box audio system "CMF" series	5.813,43	7.092,38
BOX277	Stage box audio system "CMF" series	8.081,80	9.859,80
BOX278	Stage box audio system "CMF" series	7.479,31	9.124,76
BOX279	Stage box audio system "CMF" series	9.747,69	11.892,18
BOX280	Stage box audio system "CMF" series	9.145,19	11.157,14
BOX281	Stage box audio system "CMF" series	11.413,57	13.924,56
BOX282	Stage box audio system "CMF" series	9.224,55	11.253,96
BOX283	Stage box audio system "CMF" series	12.053,43	14.705,19
BOX284	Stage box audio system "CMF" series	11.306,91	13.794,43
BOX285	Stage box audio system "CMF" series	14.135,79	17.245,66
BOX286	Stage box audio system "CMF" series	13.389,26	16.334,90
BOX287	Stage box audio system "CMF" series	16.218,14	19.786,13
BOX300	Stage box audio system "MP" series	837,60	1.021,87
BOX301	Stage box audio system "MP" series	1.172,80	1.430,82
BOX302	Stage box audio system "MP" series	1.055,52	1.287,73
BOX303	Stage box audio system "MP" series	1.547,36	1.887,78
BOX304	Stage box audio system "MP" series	1.310,40	1.598,69
BOX305	Stage box audio system "MP" series	1.969,92	2.403,30
BOX306	Stage box audio system "MP" series	1.892,48	2.308,83
BOX307	Stage box audio system "MP" series	2.887,04	3.522,19
BOX308	Stage box audio system "MP" series	2.757,12	3.363,69
BOX309	Stage box audio system "MP" series	4.076,00	4.972,72
BOX310	Stage box audio system "MP" series	3.345,44	4.081,44
BOX311	Stage box audio system "MP" series	4.969,12	6.062,33
BOX312	Stage box audio system "MP" series	1.064,96	1.299,25
BOX313	Stage box audio system "MP" series	1.400,16	1.708,20
BOX314	Stage box audio system "MP" series	1.387,20	1.692,38
BOX315	Stage box audio system "MP" series	1.879,04	2.292,43
BOX316	Stage box audio system "MP" series	1.775,68	2.166,33
BOX317	Stage box audio system "MP" series	2.435,20	2.970,94
BOX318	Stage box audio system "MP" series	2.441,76	2.978,95
BOX319	Stage box audio system "MP" series	3.436,32	4.192,31
BOX320	Stage box audio system "MP" series	3.525,60	4.301,23
BOX321	Stage box audio system "MP" series	4.844,48	5.910,27
BOX322	Stage box audio system "MP" series	5.805,60	7.082,83
BOX323	Stage box audio system "MP" series	5.859,68	7.148,81
BOX500	Empty modular stage boxe - Panels height 51 mm	168,80	205,94
BOX501	Empty modular stage boxe - Panels height 51 mm	192,48	234,83
BOX502	Empty modular stage boxe - Panels height 51 mm	212,16	258,84
BOX503	Empty modular stage boxe - Panels height 51 mm	224,80	274,26
BOX504	Empty modular stage boxe - Panels height 51 mm	244,48	298,27
BOX505	Empty modular stage boxe - Panels height 51 mm	257,12	313,69
BOX506	Empty modular stage boxe - Panels height 51 mm	276,80	337,70
BOX510	Empty modular stage boxe - Panels height 75 mm	222,56	271,52

MPM			
Model N°	Opis	VPC/kn	MPC/kn
BOX511	Empty modular stage boxe - Panels height 75 mm	242,24	295,53
BOX512	Empty modular stage boxe - Panels height 75 mm	283,68	346,09
BOX513	Empty modular stage boxe - Panels height 75 mm	301,60	367,95
BOX520	Empty modular stage boxe - Panels height 75 mm	152,16	185,64
C/207	Plastic-angle for wooden speaker cabinets	0,91	1,11
C/208	Plastic-angle with cut-out for wooden speaker cabinets	0,91	1,11
CA/800	Speaker cable 2x0,75mm on reel	3,97	4,84
CA/802	Speaker cable 2x2mm on reel	8,68	10,59
CA/803	MAINS cable 3x1mm on reel	5,12	6,25
CA/804	Speaker cable 4x2,5mm on reel	16,94	20,67
CA/806	Speaker cable 6x2,5mm on reel	26,69	32,56
CA/807	Speaker cable	24,79	30,24
CA/810	Speaker cable 2x1mm on reel	4,79	5,85
CA/814	Mains cable	10,72	13,08
CA/820	Speaker cable 2x1,5mm on reel	6,78	8,27
CA/830	Speaker cable 2x2,5mm on reel	10,08	12,30
CA/835	MAINS/AUDIO cable 3x1mm+1x0.35shielded on reel	11,65	14,21
CA/836	MAINS/AUDIO balanced cable 3x1,5mm+2x0.25shielded on reel	20,99	25,61
CA/841	Mains Audio cable	31,07	37,91
CA/844	Mains cable	34,72	42,36
CA/845	Mains cable	63,52	77,49
CA/847	Mains cable with Siliconrubber jacket	14,08	17,18
CA/879	Speaker cable	13,22	16,13
CA/880	Speaker cable	23,55	28,73
CFO/0,5	Optic-fibre lead for DAT,disk,digital recorders, etc. - 0.50m long	35,61	43,45
CFO/10	Optic-fibre lead for DAT,disk,digital recorders, etc. - 1m long	41,65	50,81
CFO/100	Optic-fibre lead for DAT,disk,digital recorders, etc. -10m long	151,88	185,29
CFO/20	Optic-fibre lead for DAT,disk,digital recorders, etc. - 2m long	54,21	66,13
CFO/30	Optic-fibre lead for DAT,disk,digital recorders, etc. - 3m long	66,35	80,95
CFO/60	Optic-fibre lead for DAT,disk,digital recorders, etc. - 6m long	103,29	126,02
CM/175-1	Noise-free mic lead with mal. to fem. XLR - 1m	34,21	41,74
CM/175-15	Noise-free mic lead with male to fem. XLR-15m	112,88	137,71
CM/175-2	Noise-free mic lead with mal. to fem. XLR - 2m	39,99	48,79
CM/175-3	Noise-free mic lead with mal. to fem. XLR - 3m	45,28	55,25
CM/175-4,5	Noise-free mic lead with mal. to fem. XLR-4,5m	53,38	65,12
CM/175-6	Noise-free mic lead with mal. to fem. XLR - 6m	62,06	75,71
CM/175-9	Noise-free mic lead with mal. to fem. XLR - 9m	79,41	96,88
CM/175GN-15	Noise-free mic lead with NEUTRIK mal. to fem. XLR -15m	176,92	215,84
CM/175GN-4,5	Noise-free mic lead with NEUTRIK mal. to fem. XLR-4,5m	117,42	143,25
CM/175GN-6	Noise-free mic lead with NEUTRIK mal. to fem. XLR - 6m	126,10	153,84
CM/175GN-9	Noise-free mic lead with NEUTRIK mal. to fem. XLR - 9m	143,45	175,01
CM/175PN-15	Anti-static,noise-free mic lead with NEUTRIK mal. to fem. XLR -15m	224,18	273,50
CM/175PN-4,5	Anti-static,noise-free mic lead with NEUTRIK mal. to fem. XLR-4,5m	131,63	160,59
CM/175PN-6	Anti-static,noise-free mic lead with NEUTRIK mal. to fem. XLR - 6m	145,02	176,93
CM/175PN-9	Anti-static,noise-free mic lead with NEUTRIK mal. to fem. XLR - 9m	171,88	209,69
CM/176-15	Star-Quad,noise-free mic lead w/fem.XLR to prof." mono plug - 15m	145,93	178,03
CM/176-4,5	Star-Quad,noise-free mic lead w/fem.XLR to prof." mono plug - 4,5m	64,70	78,94
CM/176-6	Star-Quad,noise-free mic lead w/fem.XLR to prof." mono plug - 6m	76,52	93,35
CM/176-9	Star-Quad,noise-free mic lead w/fem.XLR to prof." mono plug - 9m	100,07	122,08
CM/177-15	Star-Quad,super-noise-free mic lead - mal. to fem.XLR - 15m	143,86	175,51
CM/177-4,5	Star-Quad,super-noise-free mic lead - mal. to fem.XLR - 4,5m	62,72	76,52
CM/177-6	Star-Quad,super-noise-free mic lead - mal. to fem.XLR - 6m	74,45	90,83

MPM			
Model N°	Opis	VPC/kn	MPC/kn
CM/177-9	Star-Quad,super-noise-free mic lead - mal. to fem.XLR - 9m	98,09	119,66
CM/178-15	Super noise free mic cable with "K" series XLR connectors	160,15	195,38
CM/178-4,5	Super noise free mic cable with "K" series XLR connectors	67,57	82,43
CM/178-6	Super noise free mic cable with "K" series XLR connectors	80,98	98,80
CM/178-9	Super noise free mic cable with "K" series XLR connectors	107,80	131,52
CM/179-15	Super noise free mic cable with "K" series XLR connectors	162,18	197,85
CM/179-4,5	Super noise free mic cable with "K" series XLR connectors	69,59	84,90
CM/179-6	Super noise free mic cable with "K" series XLR connectors	83,00	101,27
CM/179-9	Super noise free mic cable with "K" series XLR connectors	109,83	133,99
CM/182-15	Noise-free mic lead w/fem.XLR to prof. _ " stereo plug - 15m	115,77	141,24
CM/182-4,5	Noise-free mic lead w/fem.XLR to prof. _ " stereo plug -4,5m	56,27	68,65
CM/182-6	Noise-free mic lead w/fem.XLR to prof. _ " stereo plug - 6m	64,95	79,24
CM/182-9	Noise-free mic lead w/fem.XLR to prof. _ " stereo plug - 9m	82,30	100,41
CM/183-15	Noise-free mic lead w/male XLR to prof. _ " stereo plug - 15m	114,86	140,13
CM/183-4,5	Noise-free mic lead w/male XLR to prof. _ " stereo plug -4,5m	55,45	67,65
CM/183-6	Noise-free mic lead w/male XLR to prof. _ " stereo plug - 6m	64,12	78,23
CM/183-9	Noise-free mic lead w/male XLR to prof. _ " stereo plug - 9m	81,48	99,40
CM/184-15	Noise-free mic lead w/fem.XLR to _ " rubber mono plug - 15m	116,93	142,65
CM/184-4,5	Noise-free mic lead w/fem.XLR to _ " rubber mono plug -4,5m	57,43	70,06
CM/184-6	Noise-free mic lead w/fem.XLR to _ " rubber mono plug - 6m	66,11	80,65
CM/184-9	Noise-free mic lead w/fem.XLR to _ " rubber mono plug - 9m	83,46	101,82
CM/184GN-15	Noise-free mic lead w/Neutrik fem.XLR to _ " rubber mono plug - 15m	151,96	185,39
CM/184GN-4,5	Noise-free mic lead w/Neutrik fem.XLR to _ " rubber mono plug -4,5m	92,47	112,81
CM/184GN-6	Noise-free mic lead w/Neutrik fem.XLR to _ " rubber mono plug - 6m	101,14	123,39
CM/184GN-9	Noise-free mic lead w/Neutrik fem.XLR to _ " rubber mono plug - 9m	118,50	144,56
CM/184PN-15	Anti-static,noise-free mic lead w/Neutrik male XLR and _ " mono plug-15m	218,15	266,14
CM/184PN-4,5	Anti-static,noise-free mic lead w/Neutrik fem.XLR and _ "mono plug-4,5m	132,54	161,70
CM/184PN-6	Anti-static,noise-free mic lead w/Neutrik fem.XLR and _ " mono plug -6m	145,93	178,03
CM/184PN-9	Anti-static,noise-free mic lead w/Neutrik fem.XLR and _ " mono plug -9m	172,79	210,80
CM/186-15	Noise-free mic lead w/male XLR to _ " rubber mono plug - 15m	116,02	141,54
CM/186-4,5	Noise-free mic lead w/male XLR to _ " rubber mono plug -4,5m	56,60	69,06
CM/186-6	Noise-free mic lead w/male XLR to _ " rubber mono plug - 6m	65,28	79,64
CM/186-9	Noise-free mic lead w/male XLR to _ " rubber mono plug - 9m	82,63	100,81
CM/186GN-15	Noise-free mic lead w/Neutrik male XLR to _ " rubber mono plug - 15m	145,02	176,93
CM/186GN-4,5	Noise-free mic lead w/Neutrik male XLR to _ " rubber mono plug -4,5m	85,53	104,34
CM/186GN-6	Noise-free mic lead w/Neutrik male XLR to _ " rubber mono plug - 6m	94,20	114,93
CM/186GN-9	Noise-free mic lead w/Neutrik male XLR to _ " rubber mono plug - 9m	111,55	136,10
CM/186PN-15	Noise-free mic lead w/Neutrik male XLR to _ " rubber mono plug - 15m	218,15	266,14
CM/186PN-4,5	Anti-static,noise-free mic lead w/Neutrik male XLR and _ "mono plug-4,5m	125,60	153,23
CM/186PN-6	Anti-static,noise-free mic lead w/Neutrik male XLR and _ " mono plug-6m	138,99	169,57
CM/186PN-9	Anti-static,noise-free mic lead w/Neutrik male XLR and _ " mono plug -9m	165,84	202,33
CM/200F-15	Noise-free mic lead w/fem.XLR to _ " metal prof.mono plug - 15m	117,83	143,76
CM/200F-4,5	Noise-free mic lead w/fem.XLR to _ " metal prof.mono plug -4,5m	58,34	71,17
CM/200F-6	Noise-free mic lead w/fem.XLR to _ " metal prof.mono plug - 6m	67,02	81,76
CM/200F-9	Noise-free mic lead w/fem.XLR to _ " metal prof.mono plug - 9m	84,37	102,93
CM/200FGN-15	noise-free mic lead w/Neutrik fem. XLR and _ " Prof.metal mono plug-15m	152,87	186,50
CM/200FGN-4,5	noise-free mic lead w/Neutrik fem.XLR and _ " Prof.metal mono plug-4,5m	93,38	113,92
CM/200FGN-6	noise-free mic lead w/Neutrik fem. XLR and _ " Prof.metal mono plug-6m	102,05	124,50
CM/200FGN-9	noise-free mic lead w/Neutrik fem. XLR and _ " Prof.metal mono plug-9m	119,40	145,67
CM/200M-15	noise-free mic lead w/male XLR and _ " Prof.metal mono plug - 15m	116,93	142,65
CM/200M-4,5	noise-free mic lead w/male XLR and _ " Prof.metal mono plug -4,5m	57,43	70,06
CM/200M-6	noise-free mic lead w/male XLR and _ " Prof.metal mono plug - 6m	66,11	80,65

<h1>MPM</h1>			
Model N°	Opis	VPC/kn	MPC/kn
CM/200M-9	noise-free mic lead w/male XLR and _" Prof.metal mono plug - 9m	83,54	101,92
CM/200MGN-15	noise-free mic lead w/Neutrik male XLR and _" Prof.metal mono plug - 15m	145,93	178,03
CM/200MGN-4,5	noise-free mic lead w/Neutrik male XLR and _" Prof.metal mono plug -4,5m	86,43	105,45
CM/200MGN-6	noise-free mic lead w/Neutrik male XLR and _" Prof.metal mono plug - 6m	95,11	116,04
CM/200MGN-9	noise-free mic lead w/Neutrik male XLR and _" Prof.metal mono plug - 9m	112,46	137,21
CM/600	6mm ø noise free microphone cable, 28x0.10x2, on reel	4,21	5,14
CM/680	6.3mm ø noise free microphone cable,44x0.10x2, on reel	5,29	6,45
CM/682	Microphone cable	4,96	6,05
CM/780	6.4mm ø super noise free microphone cable,28x0.15x2, on reel	8,43	10,28
CM/790	6.1mm ø anti-static super noise-free Star-quad mic.cable, 28x0.10x4, on reel	7,35	8,97
CM/805	3,2mm ø aluminium shielded prof. Stereo cable,18x0.10x2, on reel	3,47	4,23
CM/818	6mm ø Prof.digital signal cable, 24x0.22x2, on reel	7,68	9,38
CM/819	AES/EBU professional digital signal cable	8,43	10,28
CM/821	DMX Prof. Digital signal cable 12x0,15	9,12	11,13
CM/822	5,4mm ø dual channel, professional flat cable, 2x0,25mm,on reel	7,11	8,67
CM/840	Dual channel flat cable, 2x0,25mm,on reel	3,47	4,23
CM/857	RG 59 B/U 75 Ohm audio/video cable - single shielding	5,62	6,86
CM/859	6.1mm ø Audio/Video cable w/dbl copper screening,on reel	11,73	14,32
CM/860	Three-wire, 3x0,25mm flat multicore cable on reel	5,62	6,86
CM/863	Three wire, coaxial +5x0,08, 7x0,12 RGB video cable	24,16	29,48
CM/870	Four-wire, flat multicore cable,4x0,25mm ,on reel	7,35	8,97
CM/900	Four-wire midi,professional cable, each pair screened separately, on reel	6,11	7,46
CM/910	Two-wire+screen midi cable, on reel	4,54	5,54
CMA/881	8-Multicore cable CMA Series	29,50	35,99
CMA/882	12-Multicore cable CMA Series	44,25	53,99
CMA/883	16-Multicore cable CMA Series	59,00	71,98
CMA/884	24-Multicore cable CMA Series	88,50	107,97
CMA/885	32-Multicore cable CMA Series	118,00	143,96
CMA/886	40-Multicore cable CMA Series	147,50	179,95
CMD/875	AES/EBU professional multipair digital signal cable	97,18	118,56
CMD/877	AES/EBU professional multipair digital signal cable	64,78	79,04
CMD/878	AES/EBU professional multipair digital signal cable	32,39	39,52
CMF/838	8-pair multicore cable, each individually alum.foil screened	41,65	50,81
CMF/842	12-pair multicore cable, each individually alum.foil screened	62,47	76,21
CMF/846	16-pair multicore cable, each individually alum.foil screened	83,29	101,62
CMF/854	24-pair multicore cable, each individually alum.foil screened	124,94	152,43
CMF/862	32-pair multicore cable, each individually alum.foil screened	166,59	203,24
CMF/864	40-pair multicore cable, each individually alum.foil screened	208,24	254,05
CMF/865	48-pair multicore cable, each individually alum.foil screened	249,88	304,86
CP-572	Cap for multipin connectors	196,00	239,12
CP-573	Cap for multipin connectors	246,40	300,61
CP-574	Cap for multipin connectors	252,00	307,44
CP-575	Cap for multipin connectors	324,80	396,26
CP-576	Cap for multipin connectors	238,08	290,46
CP-577	Cap for multipin connectors	260,32	317,59
CP-578	Cap for multipin connectors	257,60	314,27
CP-579	Cap for multipin connectors	315,04	384,35
CP/580	ILME 6pin panel mount socket cover	46,48	56,71
CP/581	ILME 10pin panel mount socket cover	53,76	65,59
CP/582	ILME 16pin panel mount socket cover	54,60	66,61
CP/583	ILME 24pin panel mount socket cover	57,40	70,03
CP/584	ILME 6pin panel mount socket cover	85,68	104,53

MPM			
Model N°	Opis	VPC/kn	MPC/kn
CP/585	ILME 10pin panel mount socket cover	122,92	149,96
CP/586	ILME 16pin panel mount socket cover	124,88	152,35
CP/587	ILME 24pin panel mount socket cover	127,68	155,77
CS/515	5,2mm ø economic guitar/instrument cable, on reel	2,81	3,43
CS/525	5,4mm ø noise free economic guitar/instrument cable, on reel	3,47	4,23
CS/732	6,7mm ø Prof. Antic-static noise-free,guitar/instrument cable, on reel	7,52	9,17
CS/756	6,5mm ø Professional noise-free,guitar/instrument cable, on reel	4,79	5,85
CT-501	Silver female connection pin	5,60	6,83
CT-502	Silver male connection pin	3,04	3,71
CT-503	Gold female connection pin	11,84	14,44
CT-504	Gold male connection pin	4,80	5,86
D/456	_ " metal mono plug w/ 7mm ø strain relief spring	11,57	14,11
D/81	Two-wire fireproof, flat multicore speaker cable, 2x1,0mm, on reel	4,79	5,85
D/82	Two-wire fireproof, flat multicore speaker cable, 2x1,5mm, on reel	6,69	8,17
D/83	Two-wire fireproof, flat multicore speaker cable, 2x2,5mm, on reel	9,92	12,10
DF/3	3-pin DIN cable mounting socket	5,37	6,55
DF/5	5-pin DIN cable mounting socket	5,37	6,55
DM/3	3-pin DIN cable mounting plug	5,04	6,15
DM/5	5-pin DIN cable mounting plug	5,29	6,45
DM/5-A	5-pin DIN cable mounting right-angle plug	8,84	10,79
DMX/1400-1	DMX equipment cable w/two- 5pin XLR connectors, 1m	42,00	51,24
DMX/1400-10	DMX equipment cable w/two- 5pin XLR connectors, 10m	115,36	140,74
DMX/1400-15	DMX equipment cable w/two- 5pin XLR connectors, 15m	154,56	188,56
DMX/1400-5	DMX equipment cable w/two- 5pin XLR connectors, 5m	73,36	89,50
DMX/1500-10	DMX equip/power cable w/two-5pin XLR -2 EU conn, 10m	362,88	442,71
DMX/1500-20	DMX equip/power cable w/two-5pin XLR -2 EU conn, 20m	603,68	736,49
DMX/1500-30	DMX equip/power cable w/two-5pin XLR -2 EU conn, 30m	844,48	1.030,27
DMX/1500-5	DMX equip/power cable w/two-5pin XLR -2 EU conn, 5m	242,48	295,83
ESP/1	Display stand	1.408,96	1.718,93
ESP/6	Display stand	1.161,76	1.417,35
F/119	Prof. metal adaptor - _ " stereo jack to 3-pin female XLR	59,74	72,89
F/119- K	K-series metal adaptor - _ " stereo jack to 3-pin female XLR	18,92	23,09
F/126	_ " plastic mono panel jack socket, one break contact	9,42	11,49
F/127	_ " plastic stereo panel jack socket, one break contact	8,68	10,59
F/128	_ " plastic stereo panel jack socket	7,27	8,87
F/129	_ " plastic mono panel jack socket, w/ 2 PIN break contacts	7,27	8,87
F/130	_ " plastic mono panel jack socket	6,36	7,76
F/131	_ " plastic stereo panel jack socket	6,36	7,76
F/132	_ " plastic stereo panel jack socket	6,36	7,76
F/133	_ " plastic stereo panel jack socket, w/ 3 break contacts	6,94	8,47
F/134	_ " plastic stereo panel jack socket, w/ 3 PIN break contacts	6,94	8,47
F/135	_ " plastic mono panel jack socket	6,36	7,76
F/136	_ " plastic mono panel jack socket	5,54	6,75
F/137	_ " plastic mono panel jack socket, w/ 2 break contacts	7,27	8,87
F/139	_ " plastic ster. panel socket, w/1 PIN break+ 2 PIN changeover contacts	13,63	16,63
F/140	_ " metal stereo jack socket	11,65	14,21
F/141	_ " plastic stereo jack socket	12,23	14,92
F/142	_ " metal mono panel jack socket	9,67	11,80
F/144	_ " plastic stereo panel jack socket, w/ 3 PIN break contacts	11,98	14,62
F/145	Extension cable mount - _ " stereo socket	17,35	21,17
F/146	Prof. metal adaptor - _ " mono plug to 3-pin female XLR	52,89	64,52
F/146- K	K-series metal adaptor - _ " mono plug to 3-pin female XLR	15,45	18,85

MPM			
Model N°	Opis	VPC/kn	MPC/kn
F/147	Prof. metal adaptor - _ " stereo plug to 3-pin female XLR	56,93	69,46
F/147- K	K-series metal adaptor - _ " stereo plug to 3-pin female XLR	15,20	18,55
F/149-BK	Gold plated phono socket "black"	21,73	26,51
F/149-RE	Gold plated phono socket "red"	21,73	26,51
F/150	Coupler with _ " stereo jacks both ends	23,72	28,93
F/234-BK	Nickel plated phono socket "black"	6,69	8,17
F/234-RE	Nickel plated phono socket "red"	6,69	8,17
F/235-BK	Gold plated phono socket "black"	7,35	8,97
F/235-RE	Gold plated phono socket "red"	7,35	8,97
F/285- K	K-series coupler -3 pin females XLR both ends	20,82	25,40
F/286- K	K-series metal adapter -3pin female XLR to RCA phono socket	14,54	17,74
F/287	3-pin power socket for cord mounting	17,35	21,17
F/288	Panel female (ECC standard) socket	12,44	15,17
F/82-BK	RCA phono cable mounting plastic jack	1,07	1,31
F/82-RE	RCA phono cable mounting plastic jack	1,07	1,31
F/83-BK	RCA phono cable mounting metal jack	3,22	3,93
F/83-RE	RCA phono cable mounting metal jack	3,22	3,93
G/101	_ " metal mono plug w/ 6mm ø rubber grommet	9,75	11,90
G/102	3.5mm metal mono mini plug w/ rubber cable relief	3,80	4,64
G/103	3.5mm metal stereo mini plug w/ rubber cable relief	3,97	4,84
G/104 BK	Plastic RCA phono plug	1,07	1,31
G/104 RE	Plastic RCA phono plug	1,07	1,31
G/105 BK	Metal RCA phono plug	5,45	6,65
G/105 RE	Metal RCA phono plug	5,45	6,65
G/106	_ " metal mono plug w/ 6mm ø spring cable relief	9,75	11,90
G/107	_ " metal mono plug w/ 7mm ø spring cable relief	9,75	11,90
G/108	_ " metal mono right-angled plug	4,05	4,94
G/109	_ " metal mono Prof. right-angled plug	21,90	26,72
G/110	_ " metal stereo plug w/ 6mm ø rubber grommet	12,81	15,63
G/111	_ " metal stereo plug w/ 7mm ø spring cable relief	12,81	15,63
G/112	3.5mm plastic mono mini plug	3,22	3,93
G/113	_ " metal stereo plug w/ 8mm ø spring cable relief	20,25	24,70
G/115	_ " plastic mono plug w/ spring cable relief	3,31	4,03
G/116	_ " plastic stereo plug w/ spring cable relief	3,47	4,23
G/117	Prof. metal adaptor - _ " stereo jack to 3-pin male XLR	55,36	67,54
G/117- K	K-series metal adaptor - _ " stereo jack to 3-pin male XLR	15,20	18,55
G/122	Coupler with _ " mono plugs both ends	10,25	12,50
G/123	Prof. metal adaptor - _ " mono plug to 3-pin male XLR	48,18	58,77
G/123- K	K-series metal adaptor - _ " mono plug to 3-pin male XLR	13,88	16,94
G/124	Prof. metal adaptor - _ " stereo plug to 3-pin male XLR	55,28	67,44
G/124- K	K-series metal adaptor - _ " stereo plug to 3-pin male XLR	13,63	16,63
G/128	_ " metal Prof. Jumbo plug w/ 12mm ø spring cable relief	36,52	44,56
G/148 BK	Gold plated metal RCA phono plug	21,73	26,51
G/148-RE	Gold plated metal RCA phono plug	21,73	26,51
G/190-BK	_ " mono plug w/ soft PVC jacket	10,74	13,11
G/190-BL	_ " mono plug w/ soft PVC jacket	10,74	13,11
G/190-RE	_ " mono plug w/ soft PVC jacket	10,74	13,11
G/220	Hook for packaged cable	13,88	16,94
G/222	Hook for guitar straps	13,06	15,93
G/251 BK	Metal Nikel plated phono (RCA) plug	6,03	7,36
G/251-RE	Metal Nikel plated phono (RCA) plug	6,03	7,36
G/253 BK	Gold plated metal RCA phono plug	6,53	7,96

MPM			
Model N°	Opis	VPC/kn	MPC/kn
G/253-RE	Gold plated metal RCA phono plug	6,53	7,96
G/257 BK	Plastic right-angle RCA phono plug	2,64	3,23
G/257-RE	Plastic right-angle RCA phono plug	2,64	3,23
G/259	In-line ITALIAN cable plug, 10A 200/250V	15,96	19,47
G/259T	In-line SCHUKO cable plug, 16A 200/250V	29,96	36,55
G/260	Line male (ECC standard) plug	14,46	17,64
G/261	Panel male (ECC standard) socket	12,44	15,17
G/283- K	K-series coupler with 3pin male XLR both ends	17,02	20,77
G/284- K	K-series metal adaptor - RCA phone line socket to 3-pin male XLR	13,06	15,93
G/451	_ " Gold plated metal mono plug w/ 7mm ø spring cable relief	17,27	21,07
G/452	_ " Plastic right-angled gold plated stereo plug	11,65	14,21
G/453	3.5mm gold plated stereo mini plug	13,30	16,23
G/461	_ " Plastic right-angled stereo plug	9,42	11,49
G/463	Prof. right-angled mono plug	9,28	11,32
G/465	_ " Gold plated Prof. metal mono plug w/ 7mm ø spring cable relief	19,17	23,39
G/467	_ " Gold plated stereo plug w/ soft PVC jacket	16,94	20,67
G/468	_ " Prof. aluminium stereo plug	9,67	11,80
G/470	_ " Gold plated Prof. metal Jumbo plug w/ 12mm ø spring cable relief	43,80	53,43
G/472	_ " Gold plated mono plug w/ soft PVC jacket	13,55	16,53
G/474	3.5mm gold plated mono mini plug	8,43	10,28
G/475	_ " Plastic right-angled gold plated mono plug	7,35	8,97
G/476	_ " Gold plated metal mono plug w/ 7mm ø strain relief spring	16,94	20,67
G/478	_ " Gold plated metal mono right-angled plug	9,75	11,90
G/479	_ " Prof. aluminium mono plug	8,68	10,59
GRCA/16-3	Assembled cable for multitrack connections	1.061,42	1.294,94
GRCA/16-5	Assembled cable for multitrack connections	1.227,10	1.497,06
GRCA/8-3	Assembled cable for multitrack connections	547,77	668,29
GRCA/8-5	Assembled cable for multitrack connections	635,41	775,20
GT-001	Heat shrink sleeve	137,42	167,65
GT-002	Heat shrink sleeve	155,52	189,73
JCF/16-3K	Assembled cable for multitrack connections	1.152,73	1.406,33
JCF/16-3N	Assembled cable for multitrack connections	1.699,18	2.073,01
JCF/16-5K	Assembled cable for multitrack connections	1.315,93	1.605,44
JCF/16-5N	Assembled cable for multitrack connections	1.865,44	2.275,84
JCF/8-3K	Assembled cable for multitrack connections	578,43	705,69
JCF/8-3N	Assembled cable for multitrack connections	850,15	1.037,19
JCF/8-5K	Assembled cable for multitrack connections	661,73	807,31
JCF/8-5N	Assembled cable for multitrack connections	933,37	1.138,72
JCM/16-3K	Assembled cable for multitrack connections	1.148,19	1.400,79
JCM/16-3N	Assembled cable for multitrack connections	1.582,01	1.930,05
JCM/16-5K	Assembled cable for multitrack connections	1.314,49	1.603,67
JCM/16-5N	Assembled cable for multitrack connections	1.748,46	2.133,12
JCM/8-3K	Assembled cable for multitrack connections	574,09	700,39
JCM/8-3N	Assembled cable for multitrack connections	788,11	961,50
JCM/8-5K	Assembled cable for multitrack connections	657,97	802,72
JCM/8-5N	Assembled cable for multitrack connections	871,99	1.063,82
JS/16-3	Assembled cable for multitrack connections	1.252,30	1.527,81
JS/16-5	Assembled cable for multitrack connections	1.420,05	1.732,46
JS/8-3	Assembled cable for multitrack connections	574,09	700,39
JS/8-5	Assembled cable for multitrack connections	657,97	802,72
M/201	Folding metal handle for speaker cabinets	75,69	92,34
M/203	Metal bar handle for speaker cabinets	70,32	85,79

<h1>MPM</h1>			
Model N°	Opis	VPC/kn	MPC/kn
M/205-18	Plastic line handle for cabinets-18cm long	21,65	26,41
M/205-28	Plastic line handle for cabinets-25cm long	33,55	40,93
M/206	Folding metal handle for flight cases	85,11	103,84
M/212	Plastic handle for speaker cabinets	9,25	11,29
MBW/1249	Box w/7-16A 250V EU sock/1-16A-200/250V plug.+switch	1.334,46	1.628,05
MCB	Panels for stage box	27,48	33,52
MCJ6	Panels for stage box	39,84	48,60
MCJ8	Panels for stage box	42,56	51,92
MCJ8P	Panels for stage box	34,72	42,36
MCJT08	Panels for cable drum	62,40	76,13
MCX4	Panels for stage box	42,56	51,92
MCX6	Panels for stage box	44,32	54,07
MCX8	Panels for stage box	46,88	57,19
MCX8P	Panels for stage box	34,72	42,36
MCXJ4	Panels for stage box	45,12	55,05
MCXJ6	Panels for stage box	47,36	57,78
MCXJ8	Panels for stage box	49,92	60,90
MCXJB	Panels for stage box	36,48	44,51
MCXT08	Panels for cable drum	62,40	76,13
MP/4310	Foot switch- ON/OFF latched	22,31	27,22
MP/4320	Changeover foot switch- latched SPDT	23,88	29,13
MP/4340	Changeover foot switch- latched DPDT	35,70	43,55
MP/4520	Foot switch- Momentaneous contact SPDT	20,08	24,50
MP/4530	Foot switch- Momentaneous contact normally open	25,53	31,15
MP/830	Guitar CAPO with pressure bar	38,59	47,08
MP/840	Microphone nylon holder	10,08	12,30
MP/850	Universal clamp style microphone holder	9,28	11,32
MP/860	Tapered slide-in microphone mount	18,40	22,45
MP/890	Large tapered slide-in mic. mount	10,08	12,30
MP/891	Slim tapered slide-in mic. mount	76,35	93,15
MP/892	Shock-absorbing mic. holder	9,28	11,32
MP/95	Battery powered electronic metronome	187,99	229,35
MX/775-5	Noise-free mic lead with male to female XLR - 5m - black	35,36	43,14
MX/775-9	Noise-free mic lead with male to female XLR - 9m - black	53,76	65,59
MX/777-5	Noise-free mic lead w/female XLR to 1/4" metal prof.mono plug - 5m - black	34,56	42,16
MX/777-9	Noise-free mic lead w/female XLR to 1/4" metal prof.mono plug - 9m - black	51,20	62,46
NC/337	5pin male Neutrik XLR DMX panel mount plug	91,36	111,46
NC/337-K	K-series 5pin male XLR DMX panel mount plug	9,28	11,32
NC/338	5pin female Neutrik XLR DMX panel mount socket	116,80	142,50
NC/338-K	K-series 5pin female XLR DMX panel mount socket	10,08	12,30
NC/348	5pin female Neutrik XLR DMX line socket	106,88	130,39
NC/348-K	K-series 5pin female XLR DMX line socket	8,48	10,35
NC/349	5pin male Neutrik XLR DMX line plug	88,80	108,34
NC/349-K	K-series 5pin male Neutrik XLR DMX line plug	8,16	9,96
NC/352	3pin female Neutrik XLR panel mount socket	49,66	60,59
NC/352-K	K-series 3pin male XLR panel mount socket	10,16	12,40
NC/353	3pin male Neutrik XLR panel mount plug	45,45	55,45
NC/353-K	K-series 3pin male XLR panel mount plug	10,08	12,30
NC/354	3pin female Neutrik XLR line socket	42,56	51,92
NC/354- K	K-series 3pin female Neutrik XLR line socket	8,51	10,38
NC/355	3pin male Neutrik XLR line plug	35,61	43,45
NC/355- K	K-series 3pin male Neutrik XLR line plug	7,60	9,27

MPM			
Model N°	Opis	VPC/kn	MPC/kn
NC/356	3pin female Neutrik XLR line socket w/ ON/OFF switch	133,54	162,91
NC/357	Right angled 3pin female Neutrik XLR line socket	88,83	108,37
NC/358	Right angled 3pin male Neutrik XLR line plug	76,35	93,15
NC/359	_ " Prof. Neutrik aluminium mono plug	36,52	44,56
NC/360	_ " Prof. Neutrik aluminium stereo plug	53,71	65,53
NC/361	_ " Prof. Neutrik right angled aluminium mono plug	40,24	49,10
NC/362	Prof. Neutrik 3pin DIN plug	6,53	7,96
NC/377	Metal Neutrik conn. For Neutrik RJ45 jacks	35,84	43,72
NC/379	Neutrik RJ45 coupler w/NC377 5pin connector	208,00	253,76
NC/378	Neutrik ETHERNET connector	115,84	141,32
NS/181	2-pole speakon plug	36,54	44,58
NS/191	4-pole Neutrik SPEAKON plug	69,33	84,58
NS/192	8-pole Neutrik SPEAKON plug	142,87	174,30
NS/193	4-pole panel mounting Neutrik SPEAKON socket	36,52	44,56
NS/194	8-pole panel mounting Neutrik SPEAKON socket	99,32	121,18
NS/195	4-pole Neutrik SPEAKON coupler	83,87	102,32
NS/196	8-pole Neutrik SPEAKON coupler	218,56	266,65
NS/236	Mains plug connector	75,91	92,61
NS/237	Mains plug	75,91	92,61
NS/238	Panel mains socket	37,02	45,16
NS/239	Panel mains socket	37,02	45,16
PC/35	Single latched action ON/OFF pedal switch w/ lead	124,36	151,72
PC/40	Dual latched action ON/OFF pedal switch w/ lead	171,22	208,88
PC/43	Triple latched action ON/OFF pedal switch w/ lead	231,37	282,27
POF-709	Extension connector for digital optical signals- Toslink input/output	15,95	19,46
POF-711	Adap. plug digital/optical signals-Toslink to 3.5mm mini jack plug.	13,72	16,73
POF-712	Adap. plug digital/optical signals-Toslink to 3.5mm jack plug (gold contacts)	20,41	24,90
POF-810	Digital optical signal splitter to two units- non powered	101,23	123,50
POF-820	Converter digital coaxial IN to digital optical OUT, Toslink conn.- Powered	260,29	317,56
POF-830	Converter digital optical IN to digital coaxial OUT, RCA socket - Powered	310,95	379,36
POF-833	Mains adapt.-220/240V 50Hz, 6V DC, 250mA for conn.to POF820,830 &840	128,96	157,33
POF-840	Digital optical signal extension unit w/"booster", Toslink conn.-Powered	510,51	622,82
RSW/528	2-U power rack panel w/4-16A 200/250V sockets	284,64	347,26
RSW/529	2-U power rack panel w/4-32A 200/250V sockets	380,80	464,58
RSW/530	2-U power rack panel w/6-16A 200/250V sockets	397,28	484,68
RSW/531	3-U panel w/3-16A 200/250V sock.-3 breaker switches	819,36	999,62
RSW/532	3-U panel w/3-32A 200/250V sock.-3 breaker switches	900,64	1.098,78
RSW/533	3-U panel w/4-16A 200/250V sock.-4 breaker switches	1.076,32	1.313,11
RSW/534	3-U panel w/4-32A 200/250V sock.-4 breaker switches	1.184,80	1.445,46
RSW/535	3-U panel w/1-16A 200/250V tilt-angle socket	205,12	250,25
RSW/536	3-U panel w/1-32A 200/250V tilt-angle socket	236,16	288,12
RSW/537	3-U panel w/1-16A 200/250V tilted sock.-1-16A breaker switch	1.570,56	1.916,08
RSW/538	3-U panel w/1-32A 200/250V tilted sock.-1-32A breaker switch	1.658,40	2.023,25
RSW/541	3-U panel w/1-64A 200/250V sock.4XLR,2Speakon-1switch	1.704,80	2.079,86
RSW/542	2-U, Power rack box w/5-16A 250V EU sock.-6 inline sock.	1.238,08	1.510,46
RSW/543	2-U, Power rack box w/8-16A 250V EU standard sockets	1.187,36	1.448,58
RSW/546	2-U, box w/7-16A 250V EU Universal rear sock.-1 power switch	1.139,04	1.389,63
RSW/547	2-U, box w/6-Schuko sock.-1,5m cable w/1-16A-240/415V plug	636,48	776,51
RSW/549	2-U power box w/6-Schuko rear sockets -1 power switch	584,32	712,87
RSW/557	3-U panel w/1-32A 240/415V tilted plug.-1-32A breaker switch	2.757,44	3.364,08
RSW/558	6-U panel w/3-32A 240/415V sock...-3-32A breaker switches	3.400,80	4.148,98
RSW/559	6-U panel w/3-63A 240/415V sock...-3-63A breaker switches	5.159,04	6.294,03

MPM			
Model N°	Opis	VPC/kn	MPC/kn
RSW/563	4-U panel w/1-63A 240/415V plug.-1-63A breaker switch	3.487,52	4.254,77
SR/1500	Voltage regulator for max. power 1500VA	2.571,68	3.137,45
SR/2500	Voltage regulator for max. power 2500VA	3.410,40	4.160,69
PS/10	Momentary contact pedal - normally open contacts	57,10	69,66
PS/10-A2	Multi-function control pedal board w/ two PS/10 & lead	199,56	243,46
PS/10-A3	Multi-function control pedal board w/ three PS/10 & lead	280,54	342,26
PS/10-A4	Multi-function control pedal board w/ four PS/10 & lead	318,14	388,13
PS/10-A5	Multi-function control pedal board w/ five PS/10 & lead	389,04	474,62
PS/10-A6	Multi-function control pedal board w/ six PS/10 & lead	449,03	547,81
PS/15	Momentary contact pedal - normally closed contacts	57,10	69,66
PS/20	Latched action ON/OFF footswitch	62,88	76,72
PS/25	Dual momentary contact pedal w/ normally opened or closed contacts	79,82	97,38
PW/250	Traditional Wah-Wah effect pedal	318,14	388,13
RAS/205	_ " Plastic right-angled nikel plated mono plug	6,11	7,46
S/1200 EU Stnd	Moulded power cord -w/3pin European plug & socket	28,76	35,08
S/1200 I Stnd	Moulded power cord -w/3pin Italian plug & EURO stand socket	25,20	30,75
S/1200-10	Power cord -w/3pin Italian plug & EURO stand socket -10m long	127,25	155,25
S/1200-15	Power cord -w/3pin Italian plug & EURO stand socket -15m long	153,61	187,41
S/1200-20	Power cord -w/3pin Italian plug & EURO stand socket -20m long	178,16	217,35
S/1200-5	Power cord -w/3pin Italian plug & EURO stand socket -5m long	102,71	125,31
S/1201	Assembled mains cable	83,29	101,62
S/1208	Computer music connecting lead - Apple Mac -1,8m	32,14	39,22
S/1209	Computer music connecting lead -9pin for IBM PC/AT -1,8m	34,13	41,64
S/1220	Moulded power cord -EURO standard for japanese keyboards	32,72	39,92
S/1225	Computer music connecting lead -25pin for IBM PC/AT -1,8m	39,17	47,79
S/1228	Moulded power cord -w/2pin Italian plug & 2pole socket	13,06	15,93
S/1230	Connecting lead with opto isolator -midi instrum. to computer sound card	128,41	156,66
S/1235	Connecting lead with opto isolator -midi instrum. to computer sound card	128,41	156,66
S/1240	USB instrum-computer cable- USB A type socete-USB A type socket	17,28	21,08
S/1245	Universal multi socket	144,61	176,42
S/1251-10	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 10m	276,92	337,84
S/1251-15	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 15m	328,72	401,04
S/1251-20	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 20m	380,52	464,23
S/1251-5	Power cable,16A-4H 250V 3-pin IP44 plug&sock, 5m	225,12	274,65
S/1252-10	Power cable,32A-4H 250V 3-pin IP44 plug&sock, 10m	500,64	610,78
S/1252-15	Power cable,32A-4H 250V 3-pin IP44 plug&sock, 15m	633,64	773,04
S/1253-2,5	Power cable,16A-6H250V 3-pinIP44 sock-1 Speakon,2,5m	166,18	202,74
S/1254-10	Power cable, 16A-6H 415V, 5-pinIP67 plug&sock, 10m	366,24	446,81
S/1254-15	Power cable, 16A-6H 415V, 5-pinIP67 plug&sock, 15m	450,24	549,29
S/1255-10	Power cable 32A-6H 415V, 5-pinIP67 plug &sock, 10m	651,56	794,90
S/1255-15	Power cable 32A-6H 415V, 5-pinIP67 plug &sock, 15m	858,76	1.047,69
S/1256-10	Power cable 63A-6H 415V, 5-pinIP67 plug &sock, 10m	1.842,96	2.248,41
S/1256-15	Power cable 63A-6H 415V, 5-pinIP67 plug &sock, 15m	2.423,96	2.957,23
S/1300-10	Fireproof Power cable,w/4-16A/250V plugs&sockets, 10m	1.075,20	1.311,74
S/1300-15	Fireproof Power cable,w/4-16A/250V plugs&sockets, 15m	1.266,16	1.544,72
S/1301-1	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock., 1m	532,56	649,72
S/1301-10	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock.,10m	840,00	1.024,80
S/1301-15	"Power"cord,w/4-16A/250V plugs&1-ILME 10pin sock., 15m	1.010,80	1.233,18
S/1302-1	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 1m	912,24	1.112,93
S/1302-10	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 10m	1.474,20	1.798,52
S/1302-15	"Power"cord,w/8-16A/250V plugs&1-ILME 16pin sock., 15m	1.786,40	2.179,41
S/1303-1	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock.,1m	1.194,20	1.456,92

MPM			
Model N°	Opis	VPC/kn	MPC/kn
S/1303-10	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock,10m	1.501,64	1.832,00
S/1303-15	"Power"cord,4-16A/250V plugs&1-Socapex 16pin sock,15m	1.672,44	2.040,38
S/1304-1	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock.,1m	1.419,04	1.731,23
S/1304-10	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock,10m	1.981,00	2.416,82
S/1304-15	"Power"cord,6-16A/250V plugs&1-Socapex 19pin sock,15m	2.293,20	2.797,70
S/1305-1	Fire-proof "Power" cable with two ILME 10pin conn.,1m	350,84	428,02
S/1305-10	Fire-proof "Power" cable with two ILME 10pin conn.,10m	658,28	803,10
S/1305-20	Fire-proof "Power" cable with two ILME 10pin conn.,20m	999,88	1.219,85
S/1305-30	Fire-proof "Power" cable with two ILME 10pin conn.,30m	1.341,48	1.636,61
S/1305-40	Fire-proof "Power" cable with two ILME 10pin conn.,40m	1.683,08	2.053,36
S/1306-1	Fire-proof "Power" cable with two ILME 16pin conn.,1m	508,20	620,00
S/1306-10	Fire-proof "Power" cable with two ILME 16pin conn.,10m	1.070,16	1.305,60
S/1306-20	Fire-proof "Power" cable with two ILME 16pin conn.,20m	1.694,56	2.067,36
S/1306-30	Fire-proof "Power" cable with two ILME 16pin conn.,30m	2.318,96	2.829,13
S/1306-40	Fire-proof "Power" cable with two ILME 16pin conn.,40m	2.943,36	3.590,90
S/1307-10	Fire-proof "Power" cable with 2-Socapex 19pin conn.,10m	2.240,00	2.732,80
S/1307-20	Fire-proof "Power" cable with 2-Socapex 19pin conn.,20m	2.864,40	3.494,57
S/1307-30	Fire-proof "Power" cable with 2-Socapex 19pin conn.,30m	3.488,80	4.256,34
S/1307-40	Fire-proof "Power" cable with 2-Socapex 19pin conn.,40m	4.113,20	5.018,10
S/1352-2	Professional cable RG59 75 Ohm - 2 mt	25,45	31,05
S/1352-3	Professional cable RG59 75 Ohm - 3 mt	28,92	35,28
S/1359-1	Digital coaxial cable - 1 mt	51,92	63,34
S/1359-2	Digital coaxial cable - 2 mt	63,49	77,45
S/1359-4,5	Digital coaxial cable - 4,5 mt	92,90	113,33
S/153-0,2	Midi lead - 5pin plug both ends -0,2m long	26,19	31,96
S/153-0,5	Midi lead - 5pin plug both ends -0,5m long	27,60	33,67
S/153-1	Midi lead - 5pin plug both ends -1m long	29,83	36,39
S/153-1,5	Midi lead - 5pin plug both ends -1,5m long	32,06	39,12
S/153-2	Midi lead - 5pin plug both ends -2m long	34,79	42,44
S/153-3	Midi lead - 5pin plug both ends -3m long	39,25	47,89
S/153-4,5	Midi lead - 5pin plug both ends -4,5m long	46,19	56,35
S/153-6	Midi lead - 5pin plug both ends -6m long	53,71	65,53
S/153-9	Midi lead - 5pin plug both ends -9m long	68,67	83,78
S/159	Noiseless guitar lead - " mono plug to " right-angled mono plug-4,5m	55,20	67,34
S/160	Noiseless guitar lead - " mono plug to " right-angled mono plug-4,5m	42,72	52,12
S/160-PN	Super noiseless lead - w/ Neutrik " mono str. & right angled plugs -4,5m	123,95	151,22
S/161	Coiled patch lead - " plastic mono right angled plugs both ends -0,4m	32,89	40,12
S/163	Patch lead - " plastic mono right-angled plugs both ends -0,3m	25,78	31,45
S/164-0,5	Moulded midi lead - 5pin plug both ends -0,5m long	10,16	12,40
S/164-1	Moulded midi lead - 5pin plug both ends -1m long	10,74	13,11
S/164-1,5	Moulded midi lead - 5pin plug both ends -1,5m long	13,06	15,93
S/164-2	Moulded midi lead - 5pin plug both ends -2m long	15,95	19,46
S/164-3	Moulded midi lead - 5pin plug both ends -3m long	18,84	22,99
S/164-5	Moulded midi lead - 5pin plug both ends -5m long	26,94	32,86
S/165-1	Midi lead - 5pin Prof. metal plug both ends -1m long	48,01	58,57
S/165-2	Midi lead - 5pin Prof. metal plug both ends -2m long	54,54	66,54
S/165-3	Midi lead - 5pin Prof. metal plug both ends -3m long	60,57	73,90
S/165-4,5	Midi lead - 5pin Prof. metal plug both ends -4,5m long	69,82	85,19
S/165-6	Midi lead - 5pin Prof. metal plug both ends -6m long	79,66	97,18
S/165-9	Midi lead - 5pin Prof. metal plug both ends -9m long	99,32	121,18
S/166	Patch lead - " plastic plugs both ends -0,3m	33,63	41,03
S/168	Noiseless guitar lead - " mono plug to " right-angled mono plug-4,5m	40,41	49,30

MPM			
Model N°	Opis	VPC/kn	MPC/kn
S/172	Prof.adaptor lead - two 1/2" mono plugs to two RCA phono plug -4,5m long	122,79	149,81
S/173	Patch lead - 1/2" moulded mono right-angled plugs both ends -0,3m	7,36	8,98
S/174-1	Prof.adaptor lead - two 1/2" metal mono plugs on both ends -1m long	78,91	96,28
S/174-3	Prof.adaptor lead - two 1/2" metal mono plugs on both ends -3m long	93,54	114,12
S/174-4,5	Prof.adaptor lead - two 1/2" metal mono plugs on both ends -4,5m long	104,37	127,33
S/187	Noisless coiled guitar & instr.lead - 1/2" rubber mono plug both ends -5m	71,48	87,20
S/197-0,5	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -0,5m	32,47	39,62
S/197-1	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -1m	34,87	42,54
S/197-2	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -2m	40,16	48,99
S/197-3	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -3m	45,04	54,94
S/197-4,5	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -4,5m	52,39	63,92
S/197-6	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -6m	60,32	73,59
S/197-9	Noiseless instr.lead - 1/2" prof. metal mono plug both ends -6m	74,87	91,34
S/198-0,5	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -0,5m	36,52	44,56
S/198-1	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -1m	38,92	47,48
S/198-2	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -2m	44,21	53,93
S/198-3	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -3m	49,08	59,88
S/198-4,5	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -4,5m	56,44	68,85
S/198-6	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -6m	64,37	78,53
S/198-9	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -6m	78,91	96,28
S/198PN-0,5	Noiseless instr.lead - 1/2" prof. Neutrik mono plug both ends -0,5m	89,57	109,28
S/198PN-1	Noiseless instr.lead - 1/2" prof. Neutrik mono plug both ends -1m	93,38	113,92
S/198PN-2	Noiseless instr.lead - 1/2" prof. neutrik mono plug both ends -2m	101,31	123,60
S/198PN-3	Noiseless instr.lead - 1/2" prof. Neutrik mono plug both ends -3m	108,83	132,77
S/198PN-4,5	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -4,5m	120,23	146,68
S/198PN-6	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -6m	132,30	161,40
S/198PN-9	Noiseless instr.lead - 1/2" prof. rubber mono plug both ends -6m	154,85	188,92
S/200-0,5	Noiseless instr.lead - 1/2" metal mono plug both ends -0,5m	38,34	46,78
S/200-1	Noiseless instr.lead - 1/2" metal mono plug both ends -1m	40,74	49,70
S/200-2	Noiseless instr.lead - 1/2" metal mono plug both ends -2m	46,03	56,15
S/200-3	Noiseless instr.lead - 1/2" metal mono plug both ends -3m	50,82	62,00
S/200-4,5	Noiseless instr.lead - 1/2" metal mono plug both ends -4,5m	58,26	71,07
S/200-6	Noiseless instr.lead - 1/2" metal mono plug both ends -6m	66,19	80,75
S/200-9	Noiseless instr.lead - 1/2" metal mono plug both ends -6m	80,73	98,49
S/255	Noisless coiled guitar & instr.lead - 1/2" metal mono plug both ends -5m	72,47	88,41
S/310-10	Speaker lead - 1/2" metal mono plug both ends, cable 2x1mm -10m long	82,80	101,01
S/310-15	Speaker lead - 1/2" metal mono plug both ends, cable 2x1mm -15m long	108,33	132,17
S/310-20	Speaker lead - 1/2" metal mono plug both ends, cable 2x1mm -20m long	132,21	161,30
S/310-5	Speaker lead - 1/2" metal mono plug both ends, cable 2x1mm -5m long	57,43	70,06
S/312-10	Speaker lead - 1/2" metal mono plug to 3pin female XLR, cable 2x1mm -10m	82,63	100,81
S/312-15	Speaker lead - 1/2" metal mono plug to 3pin female XLR, cable 2x1mm -15m	108,08	131,86
S/312-20	Speaker lead - 1/2" metal mono plug to 3pin female XLR, cable 2x1mm -20m	132,05	161,10
S/312-5	Speaker lead - 1/2" metal mono plug to 3pin female XLR, cable 2x1mm -5m	57,18	69,76
S/314-10	Speaker lead - 1/2" metal mono plug to 3pin male XLR, cable 2x1mm -10m long	81,72	99,70
S/314-15	Speaker lead - 1/2" metal mono plug to 3pin male XLR, cable 2x1mm -15m long	107,26	130,85
S/314-20	Speaker lead - 1/2" metal mono plug to 3pin male XLR, cable 2x1mm -20m long	131,22	160,09
S/314-5	Speaker lead - 1/2" metal mono plug to 3pin male XLR, cable 2x1mm -5m long	56,36	68,75
S/318-10	Speaker lead - 3pin female XLR to 3pin male XLR, cable 2x1mm -10m long	79,58	97,08
S/318-15	Speaker lead - 3pin female XLR to 3pin male XLR, cable 2x1mm -15m long	105,03	128,13
S/318-20	Speaker lead - 3pin female XLR to 3pin male XLR, cable 2x1mm -20m long	128,99	157,37
S/318-5	Speaker lead - 3pin female XLR to 3pin male XLR, cable 2x1mm -5m long	54,12	66,03
S/320-10	Speaker lead - 1/2" metal mono plug both ends, cable 2x1,5mm -10m long	102,88	125,51

MPM			
Model N°	Opis	VPC/kn	MPC/kn
S/320-15	Speaker lead - _" metal mono plug both ends, cable 2x1,5mm -15m long	138,41	168,86
S/320-20	Speaker lead - _" metal mono plug both ends, cable 2x1,5mm -20m long	172,46	210,40
S/320-5	Speaker lead - _" metal mono plug both ends, cable 2x1,5mm -5m long	67,43	82,26
S/325-10	Speaker lead - _" metal mono plug to 3pin male XLR, cable 2x1,5mm -10m	101,80	124,20
S/325-15	Speaker lead - _" metal mono plug to 3pin male XLR, cable 2x1,5mm -15m	137,42	167,65
S/325-20	Speaker lead - _" metal mono plug to 3pin male XLR, cable 2x1,5mm -20m	171,38	209,08
S/325-5	Speaker lead - _" metal mono plug to 3pin male XLR, cable 2x1,5mm -5m	66,44	81,05
S/340-10	Speaker lead - _" Prof. metal mono plug both ends, cable 2x1mm -10m long	86,52	105,55
S/340-15	Speaker lead - _" Prof. metal mono plug both ends, cable 2x1mm -15m long	112,05	136,70
S/340-20	Speaker lead - _" Prof. metal mono plug both ends, cable 2x1mm -20m long	136,01	165,94
S/340-5	Speaker lead - _" Prof. metal mono plug both ends, cable 2x1mm -5m long	61,15	74,60
S/345PN-10	Speakon speaker leads - Neutrik NL4FC speakon on both ends -10m	177,08	216,04
S/345PN-15	Speakon speaker leads - Neutrik NL4FC speakon on both ends -15m	221,87	270,68
S/345PN-5	Speakon speaker leads - Neutrik NL4FC speakon on both ends -5m	132,38	161,50
S/346PN-10	Speakon speaker leads - Neutrik NL4FC speakon on both ends -10m	325,49	397,10
S/346PN-15	Speakon speaker leads - Neutrik NL4FC speakon on both ends -15m	411,76	502,35
S/346PN-5	Speakon speaker leads - Neutrik NL4FC speakon on both ends -5m	239,39	292,05
S/380-10	K-series speakon leads - 4pin SK/391connector on both ends -10m	124,94	152,43
S/380-15	K-series speakon leads - 4pin SK/391connector on both ends -15m	169,81	207,17
S/380-5	K-series speakon leads - 4pin SK/391connector on both ends -5m	80,24	97,89
S/381-0,2	K-series speakon leads - 4pin SK/391connect. to 3pin female XLR -0,2m	44,62	54,44
S/381-10	K-series speakon leads - 4pin SK/391connect. to 3pin female XLR -10m	113,95	139,02
S/381-15	K-series speakon leads - 4pin SK/391connect. to 3pin female XLR -15m	149,57	182,47
S/381-5	K-series speakon leads - 4pin SK/391connect. to 3pin female XLR -5m	78,50	95,77
S/382-0,2	K-series speakon leads - 4pin SK/391connect. to 3pin male XLR -0,2m	43,71	53,33
S/382-10	K-series speakon leads - 4pin SK/391connect. to 3pin male XLR -10m	113,12	138,01
S/382-15	K-series speakon leads - 4pin SK/391connect. to 3pin male XLR -15m	148,66	181,36
S/382-5	K-series speakon leads - 4pin SK/391connect. to 3pin male XLR -5m	77,68	94,76
S/383-0,2	K-series speakon leads - 4pin SK/391connect. to _" mono plug -0,2m	46,77	57,06
S/383-10	K-series speakon leads - 4pin SK/391connect. to _" mono plug -10m	116,18	141,74
S/383-15	K-series speakon leads - 4pin SK/391connect. to _" mono plug -15m	151,71	185,09
S/383-5	K-series speakon leads - 4pin SK/391connect. to _" mono plug -5m	80,73	98,49
S/384	K-series speakon leads - 4pin SK/391connect. to _" line jack -0,2m	54,46	66,44
S/390-10	Audio/mains power cable AC 230V amplified speaker enclosures-10m	306,57	374,01
S/390-15	Audio/mains power cable AC 230V amplified speaker enclosures-15m	412,42	503,15
S/390-20	Audio/mains power cable AC 230V amplified speaker enclosures-20m	518,03	631,99
S/390-5	Audio/mains power cable AC 230V amplified speaker enclosures-5m	201,05	245,28
S/396-10	Connecting cables for powered speakers - 10 mt	312,64	381,42
S/396-15	Connecting cables for powered speakers - 15 mt	417,84	509,77
S/396-20	Connecting cables for powered speakers - 20 mt	524,35	639,70
S/396-5	Connecting cables for powered speakers - 5 mt	207,08	252,64
S/397-10	Connecting cables for powered speakers - 10 mt	365,72	446,18
S/397-15	Connecting cables for powered speakers - 15 mt	470,84	574,43
S/397-20	Connecting cables for powered speakers - 20 mt	577,35	704,37
S/397-5	Connecting cables for powered speakers - 5 mt	260,08	317,30
S/398-10	Connecting cables for powered speakers - 10 mt	432,74	527,94
S/398-15	Connecting cables for powered speakers - 15 mt	537,94	656,29
S/398-20	Connecting cables for powered speakers - 20 mt	644,16	785,87
S/398-5	Connecting cables for powered speakers - 5 mt	327,10	399,07
S/431PD-10	Speaker lead - _" Jumbo mono plug both ends, cable 2x1mm -10m long	188,98	230,56
S/431PD-15	Speaker lead - _" Jumbo mono plug both ends, cable 2x1mm -15m long	240,88	293,87
S/431PD-20	Speaker lead - _" Jumbo mono plug both ends, cable 2x1mm -20m long	291,12	355,16

MPM			
Model N°	Opis	VPC/kn	MPC/kn
S/431PD-5	Speaker lead - " Jumbo mono plug both ends, cable 2x1mm -5m long	137,34	167,55
S/88-0,2	Guitar & instr.lead - " plast.mono plug both ends-0,2m long	19,91	24,30
S/88-0,5	Guitar & instr.lead - " plast.mono plug both ends-0,5m long	20,82	25,40
S/88-1	Guitar & instr.lead - " plast.mono plug both ends-1m long	22,23	27,12
S/88-2	Guitar & instr.lead - " plast.mono plug both ends-2m long	25,45	31,05
S/88-3	Guitar & instr.lead - " plast.mono plug both ends-3m long	28,26	34,48
S/88-4,5	Guitar & instr.lead - " plast.mono plug both ends-4,5m long	32,64	39,82
S/88-6	Guitar & instr.lead - " plast.mono plug both ends-6m long	37,60	45,87
S/88-9	Guitar & instr.lead - " plast.mono plug both ends-9m long	47,51	57,97
S/89-0,2	Noisless Guitar & instr.lead - " plast.mono plug both ends -0,2m long	20,08	24,50
S/89-0,5	Noisless Guitar & instr.lead - " plast.mono plug both ends -0,5m long	21,15	25,81
S/89-1	Noisless Guitar & instr.lead - " plast.mono plug both ends -1m long	22,89	27,93
S/89-2	Noisless Guitar & instr.lead - " plast.mono plug both ends -2m long	26,77	32,66
S/89-3	Noisless Guitar & instr.lead - " plast.mono plug both ends -3m long	30,24	36,90
S/89-4,5	Noisless Guitar & instr.lead - " plast.mono plug both ends -4,5m long	35,61	43,45
S/89-6	Noisless Guitar & instr.lead - " plast.mono plug both ends -6m long	41,48	50,61
S/89-9	Noisless Guitar & instr.lead - " plast.mono plug both ends -9m long	53,38	65,12
S/907	Lighting box, 6-16A/250V sockets/1-16pin Socopex conn.	1.383,04	1.687,31
S/941	8-wire"Alum."lighting bar w/1-16pin ILME connect.,150cm	1.283,04	1.565,31
S/942	4-wire"Alum."lighting bar w/1-16pin ILME connect.,150cm	1.019,20	1.243,42
S/943	8-sock, 16A-250V Alum. bar w/1-16pin ILME conn.,150cm	1.530,88	1.867,67
S/944	4-sock, 16A-250V Alum. bar w/1-16pin ILME conn.,150cm	1.143,20	1.394,70
S/945	4-wire"Alum."lighting bar w/2-10pin ILME connect.,150cm	1.267,04	1.545,79
S/946	8-wire"Alum."lighting bar w/2-10pin ILME connect.,150cm	1.714,72	2.091,96
S/947	Lighting bar, 8-sock.16A-250V & 1-16pin ILME con,1m	1.369,12	1.670,33
S/948	Lighting bar, 6-sock.16A-250V & 1-19pin Socapex,0,7m	1.615,36	1.970,74
S/949	Lighting bar, 4-sock.16A-250V & 1-16pin ILME con,1m	819,36	999,62
S/960	4-wire"Alum."lighting bar w/1-19pin Socapex con.,150cm	1.555,84	1.898,12
S/961	6-wire"Alum."lighting bar w/1-19pin Socapex con.,230cm	1.812,00	2.210,64
S/962	4-wire"Alum."lighting bar w/1-19pin Socapex con.,150cm	1.570,88	1.916,47
S/963	6-wire"Alum."lighting bar w/1-19pin Socapex con.,230cm	1.896,00	2.313,12
S/964	4-wire"Alum."lighting bar w/1-19pin ILME con.,150cm	999,04	1.218,83
S/965	6-wire"Alum."lighting bar w/1-19pin ILME con.,250cm	1.298,40	1.584,05
S/966	8-wire"Alum."lighting bar w/1-19pin ILME con.,250cm	1.492,80	1.821,22
S/96-0,5	Guitar & instr.lead - w/ moulded " plast.mono plug both ends -0,5m long	10,99	13,41
S/96-1	Guitar & instr.lead - w/ moulded " plast.mono plug both ends -1m long	13,88	16,94
S/96-2	Guitar & instr.lead - w/ moulded " plast.mono plug both ends -2m long	22,15	27,02
S/96-3	Guitar & instr.lead - w/ moulded " plast.mono plug both ends -3m long	26,69	32,56
S/96-5	Guitar & instr.lead - w/ moulded " plast.mono plug both ends -5m long	39,17	47,79
S/98-1	Guitar & instr.lead - " metal mono plug both ends -1m long	35,61	43,45
S/98-15	Guitar & instr.lead - " metal mono plug both ends -15m long	88,58	108,07
S/98-2	Guitar & instr.lead - " metal mono plug both ends -2m long	39,50	48,19
S/98-3	Guitar & instr.lead - " metal mono plug both ends -3m long	42,97	52,42
S/98-4,5	Guitar & instr.lead - " metal mono plug both ends -4,5m long	48,34	58,98
S/98-6	Guitar & instr.lead - " metal mono plug both ends -6m long	54,29	66,23
S/98-9	Guitar & instr.lead - " metal mono plug both ends -9m long	66,11	80,65
SB08041	Assembled cable for stage box	1.810,24	2.208,49
SB08042	Assembled cable for stage box	2.063,68	2.517,69
SB08043	Assembled cable for stage box	2.247,52	2.741,97
SB08044	Assembled cable for stage box	2.500,96	3.051,17
SB12045	Assembled cable for stage box	2.533,44	3.090,80
SB12046	Assembled cable for stage box	2.938,24	3.584,65

MPM			
Model N°	Opis	VPC/kn	MPC/kn
SB12047	Assembled cable for stage box	3.189,44	3.891,12
SB12048	Assembled cable for stage box	3.594,08	4.384,78
SB16049	Assembled cable for stage box	3.211,84	3.918,44
SB16050	Assembled cable for stage box	3.743,36	4.566,90
SB16051	Assembled cable for stage box	4.086,40	4.985,41
SB16052	Assembled cable for stage box	4.617,92	5.633,86
SB24053	Assembled cable for stage box	4.822,88	5.883,91
SB24054	Assembled cable for stage box	5.607,68	6.841,37
SB24055	Assembled cable for stage box	6.134,72	7.484,36
SB24056	Assembled cable for stage box	6.919,52	8.441,81
SB32057	Assembled cable for stage box	6.807,36	8.304,98
SB32058	Assembled cable for stage box	7.870,24	9.601,69
SB32059	Assembled cable for stage box	8.556,48	10.438,91
SB32060	Assembled cable for stage box	9.619,36	11.735,62
SB40061	Assembled cable for stage box	8.259,04	10.076,03
SB40062	Assembled cable for stage box	9.575,36	11.681,94
SB40063	Assembled cable for stage box	10.445,60	12.743,63
SB40064	Assembled cable for stage box	11.761,76	14.349,35
SD08027	Assembled cable for stage box	3.197,28	3.900,68
SD08028	Assembled cable for stage box	3.638,72	4.439,24
SD12029	Assembled cable for stage box	4.419,84	5.392,20
SD12030	Assembled cable for stage box	5.081,92	6.199,94
SD16031	Assembled cable for stage box	5.635,68	6.875,53
SD16032	Assembled cable for stage box	6.518,72	7.952,84
SD24033	Assembled cable for stage box	8.257,60	10.074,27
SD24034	Assembled cable for stage box	9.581,92	11.689,94
SD32035	Assembled cable for stage box	10.084,32	12.302,87
SD32036	Assembled cable for stage box	11.850,24	14.457,29
SD32037	Assembled cable for stage box	13.616,00	16.611,52
SD40038	Assembled cable for stage box	12.140,16	14.811,00
SD40039	Assembled cable for stage box	14.347,36	17.503,78
SD40040	Assembled cable for stage box	16.554,72	20.196,76
SE08015	Assembled cable for stage box	1.039,84	1.268,60
SE08016	Assembled cable for stage box	1.305,28	1.592,44
SE12017	Assembled cable for stage box	1.369,12	1.670,33
SE12018	Assembled cable for stage box	1.793,12	2.187,61
SE16019	Assembled cable for stage box	1.576,48	1.923,31
SE16020	Assembled cable for stage box	2.107,84	2.571,56
SE24021	Assembled cable for stage box	2.369,60	2.890,91
SE24022	Assembled cable for stage box	3.154,40	3.848,37
SE32023	Assembled cable for stage box	3.536,32	4.314,31
SE32024	Assembled cable for stage box	4.599,20	5.611,02
SE40025	Assembled cable for stage box	4.170,40	5.087,89
SE40026	Assembled cable for stage box	5.486,72	6.693,80
SK/391	K-series 4-pole speakon plug	23,04	28,11
SK/392	K-series 4-pole panel mount speakon socket	14,79	18,05
SK/393	K-series 4-pole panel mount speakon socket w/round flange	15,45	18,85
SK/394	K-series 4-pole panel mount speakon socket w/square flange	15,45	18,85
SK/395	K-series 4-pole Speakon line socket	30,41	37,10
SK/397 BK	Dual banana plug - black	7,68	9,38
SK/397 BL	Dual banana plug - blue	7,68	9,38
SK/397 RE	Dual banana plug - red	7,68	9,38

MPM			
Model N°	Opis	VPC/kn	MPC/kn
SK/397 YE	Dual banana plug - yellow	7,68	9,38
SP08-3K	8-pair assembled 3-m cable K-XLR male-KXLR female	543,20	662,70
SP08-3N	8-pair assembled 3-m cable Neutrik-XLR male- Neutrik XLR female	1.072,48	1.308,43
SP16-3K	16-pair assembled 3-m cable K-XLR male-KXLR female	1.082,08	1.320,14
SP16-3N	16-pair assembled 3-m cable Neutrik-XLR male- Neutrik XLR female	2.145,12	2.617,05
SP08-5K	8-pair assembled 5-m cable K-XLR male-KXLR female	626,56	764,40
SP08-5N	8-pair assembled 5-m cable Neutrik-XLR male- Neutrik XLR female	1.155,84	1.410,12
SP16-5K	16-pair assembled 5-m cable K-XLR male-KXLR female	1.244,32	1.518,07
SP16-5N	16-pair assembled 5-m cable Neutrik-XLR male- Neutrik XLR female	2.311,52	2.820,05
SR/1500	Voltage regulator- with max. power 1500VA	2.571,68	3.137,45
SR/2500	Voltage regulator- with max. power 2500VA	3.410,40	4.160,69
SX/764-3	Noiseless Instrument lead - 1/4" metal mono plug both ends - 3m - black	31,84	38,84
SX/764-5	Noiseless Instrument lead - 1/4" metal mono plug both ends - 5m - black	37,28	45,48
SX/764-9	Noiseless Instrument lead - 1/4" metal mono plug both ends - 9m - black	54,72	66,76
SX/765-5	Instrument lead w/cotton fabric coating - 1/4" metal mono plug both ends - 5m bla	48,64	59,34
SX/765-9	Instrument lead w/cotton fabric coating - 1/4" metal mono plug both ends - 9m bla	78,72	96,04
SX/798-1	Noiseless Instrument lead - 1/4" metal mono plug both ends - 1m - black	15,52	18,93
SX/798-3	Noiseless Instrument lead - 1/4" metal mono plug both ends - 3m - black	23,36	28,50
SX/798-5	Noiseless Instrument lead - 1/4" metal mono plug both ends - 5m - black	29,28	35,72
UA/1200-K	Universal mains adaptor -220/240V to 3, 4.5, 6, 9 12V DC and 1200mA	167,20	203,98
UA/300	Mains adaptor -220/240V 50Hz, 12V DC, 300mA Stabilized	128,96	157,33
UA/400	Mains adaptor -220/240V 50Hz, 24V DC, 400mA Stabilized	280,00	341,60
UA/500-K	Universal mains adaptor -220/240V to 3, 4.5, 6, 9 12V DC and 500mA	91,20	111,26
UA/800-K	Universal mains adaptor -220/240V to 3, 4.5, 6, 9 12V DC and 800mA	113,95	139,02
VFP/1-10	Piano style momentary contact pedal - normally open contacts	192,37	234,69
VFP/1-15	Piano style momentary contact pedal - normally closed contacts	192,37	234,69
VFP/1-25	Piano style momentary pedal w/ normally opened or closed contacts	256,00	312,32
VFP/2-10	Double piano style momentary contact pedal - normally open contacts	384,66	469,28
VFP/2-15	Double piano style momentary contact pedal - normally closed contacts	399,12	486,92
VFP/3-10	Triple piano style momentary contact pedal - normally open contacts	532,16	649,23
VFP/3-15	Triple piano style momentary contact pedal - normally closed contacts	532,16	649,23
VP/2	Stereo volume pedal for Casio keyboards	167,75	204,65
VP/26	Volume pedal for keyboards	133,04	162,31
VP/26-1P	Instrument Volume pedal w/ 1 jack socket	143,20	174,71
VP/26-2P	Instrument Volume pedal w/ 2 jack sockets	327,05	399,00
VP/26-4P	Instrument Volume pedal w/ 4 jack sockets	409,02	499,00
VP/26-E	Volume pedal for keyboards - Ensoniq	151,88	185,29
VP/26-F	Volume pedal for keyboards - Fatar	151,88	185,29
VP/26-G	Volume pedal for keyboards - Gem/General Music	151,88	185,29
VP/26-K	Volume pedal for keyboards - Korg	151,88	185,29
VP/26-KU	Volume pedal for keyboards - Kurzweil	151,88	185,29
VP/26-O	Volume pedal for keyboards - Orla	151,88	185,29
VP/26-Stereo	Stereo Volume pedal	167,75	204,65
VP/26-SY	Volume pedal for keyboards - Yamaha/Korg	151,88	185,29
VP/26-T	Volume pedal for keyboards - Technics	151,88	185,29
VP/26-U	Universal volume pedal for keyboards	159,07	194,06

Rainbow music int.

Pavučnjak 66g

Tel: 01/6288-115

10450 Jastrebarsko

Fax: 01/6289-245

MPM			
Model N°	Opis	VPC/kn	MPC/kn

